



OUTDOOR LIGHTING • FRANCE


ROGER PRADIER


Contents

	COLLECTION	PAGE	IP ≥ 55
	Aubanne	168	
	Avenue 2	266	
	Avenue 3	272	
	Avenue 4	278	•
	Bamboo	174	•
	Belcour	52	
	Bermude	150	
	Boléro	182	
	Boréal	206	
	Brick²	64	
	Chenonceau	232	
	Citadelle	300	•
	Cooper	18	•
	Dallas	190	
	Duo	186	
	Equix	122	•
	Faktory	94	
	Grumo	114	•
	Hogar	24	•
	Hugy	102	•
	Ibuk	136	•
	Kent	106	
	Kerlouan	154	
	Klint	58	•
	La Hutte	30	•
	Lampiok 1	34	•
	Lampiok 2	40	•
	Lampiok 4	46	•
	Loko	178	
	Louis Philippe 1	214	
	Louis Philippe 2	218	
	Louis Philippe 7	222	
	Louis XIII	294	
	Louvre	226	•
	Mona	110	•
	Monaco	284	
	Montana	158	
	Moon	200	
	Newpark	162	
	OL1	126	•
	OL3	130	•
	Phoros	210	
	Picto	86	•
	Place des Vosges 1 Évolution	248	•
	Place des Vosges 1 Tradition	242	
	Place des Vosges 2	254	
	Place des Vosges 3	260	
	RP195	98	•
	Séléné	82	•
	Sherlock	118	•
	Square	142	•
	Surf	146	
	Tank	78	•
	Tetra	72	•
	Tools	90	•
	Trophy	196	
	Victoria	288	
	Vieille France	238	
	Technical specifications Size of lanterns Sockets Photosensors Accessories Colour chart	306	


Collections



Cooper
p. 18



Hogar
p. 24


La Hutte
p. 30



Lampiok 1
p. 34


Lampiok 2
p. 40


Lampiok 4
p. 46



Belcour
p. 52


Klint
p. 58


Brick[2]
p. 64



Tetra
p. 72



Tank
p. 78


Séléné
p. 82



Picto
p. 86


Tools
p. 90


Faktory
p. 94


RP195
p. 98



Hugy
p. 102



Kent
p. 106


Mona
p. 110



Grumo
p. 114


Sherlock
p. 118



Equix
p. 122


OL1
p. 126



OL3
p. 130



Ibuk
p. 136


Square
p. 142


Surf
p. 146



Bermude
p. 150



Kerlouan
p. 154


Montana
p. 158



Newpark
p. 162


Aubanne
p. 168


Bamboo
p. 174



Loko
p. 178


Boléro
p. 182


Duo
p. 186


Dallas
p. 190



Trophy
p. 196


Moon
p. 200


Boréal
p. 206


Phoros
p. 210


Louis Philippe 1
p. 214


Louis Philippe 2
p. 218


Louis Philippe 7
p. 222


Louvre
p. 226


Chenonceau
p. 232


Vieille France
p. 238


Place des Vosges 1
Tradition
p. 242


Place des Vosges 1
Évolution
p. 248


Place des Vosges 2
p. 254


Place des Vosges 3
p. 260


Avenue 2
p.266


Avenue 3
p. 272


Avenue 4
p. 278


Monaco
p. 284


Victoria
p. 288


Louis XIII
p. 294


Citadelle
p. 300


Editorial

For more than 100 years, the Roger Pradier® team has been unstintingly and passionately committed to illuminating the outdoor spaces of our daily lives. Our know-how of excellence in the manufacture of outdoor lighting fixtures is renowned and has earned us the renewal of the «Living Heritage Company» label. Belonging to the very small circle of very high quality manufacturers is a great source of pride for all of us.

The year 2019 was marked by many milestones for our company, demonstrating our commitment to supporting our customers wherever they may be!
We crossed the Atlantic with the opening of a subsidiary in the United States, the UL certification of our lighting solutions and several new agents in this area, who have recently launched our presence on the East Coast.
The digital content so keenly awaited by all our customers will soon be available online to facilitate the development of their projects.
Our plant has been expanded to accommodate digital tools that will complement our manufacturing know-how from 2020.
In our quest for excellence, our lighting will integrate new LED solutions and high-quality detection: two French manufacturing technologies perfectly mastered by the Securlite company that has just joined our group.
Our incessant quest for creativity continues to impel us to seek out remarkable aesthetics.

Enjoy discovering our new products and collections, whose presence here upholds a continuous thread, running through time and our ever-changing history.

Tristan De Witte - *CEO*



Know-how

Research
Creation
Innovation
Design
Manufacturing
Development
Testing
Tooling
Bending
Stamping
Metal spinning
Welding
Surface treatment
Painting
Assembly
Electrification assembly
Shipping
After-sales service
Advice
Tailor-made
Lighting design




















The team

Alain Sales Administration Manager
Alexandre Assembly Operator
Aurélien IT Manager
Bertrand Industrial Designer
Bruno Sales Manager - Northeastern region
Carole Assembly Operator
Cécile Sales Manager - Ile-de-France region
Céline Supplier
Chamouini Welder
Christelle Assembly Operator
Christiane Assembly Operator
Christine Surface Treatment Manager
Christine Sales Manager - Southern region
Christophe Sales Manager - Central & Southwestern region
Claudie Assembly Operator
Denis Project Manager - Design Office
Denis Assembly Operator
Eric Industrial Tooling & Metalworking Manager
Fabien Order Picker
Fleur Export Sales Assistant
Florian Area Sales Manager DE/AUT/CH
Isabelle Assembly Operator
Jacky Client Invoicing Officer
Jérôme Surface Treatment Operator
Johann Surface Treatment Operator
Julie Assembly Operator
Julie Spot Welding Machine Operator
Julien Sales Manager - Rhône-Alpes region
Kristell Administrative & Financial Director
Laurence Assembly Manager
Lionel Forklift driver & Receiving Clerk
Manon Accountant
Margar Maintenance Manager
Marie Communication Manager
Marjorie Assembly Operator
Mathilde Sales Assistant
Maud Sales Assistant
Mélissa Computer Graphics Designer
Nathalie Spot Welding Machine Operator


















Nathalie Assembly Operator
Pascal Administrative & Finance Manager
Patrice Design Production Manager
Philippe Welder
Philippe Sales Manager - Western Region
Pierre Design Production Assistant
Priscillia Area Sales Manager DE/DK/NL
Roland Press Machine Operator
Sébastien Press Machine Operator
Sophie Plant Manager
Stéphane Sales Director - France
Stéphane Creative Director
Stéphanie Export Sales Assistant
Thibaud Export Manager
Thierry Technical Director & Industrial Development
Tristan CEO
Yohan Surface Treatment Operator
Yvan Industrial Designer
Sylvie Assembly Operator





















Designers



© Arnaud Childeric

Stéphane Joyeux

Creative Director of Roger Pradier® since 2001, Stéphane Joyeux holds a diploma from the Creapole-Esdi Design School.

With a solid grounding in every stage of the industrial design process – research, dimensional modelling, prototype testing – he's an expert at developing technical solutions. He has undertaken collaborative gigs in the automotive, sports and electrical industries with the likes of Plasto Design, Salomon, and Arnould, so his intuitive approach is informed by additional know-how specific to these fields.
It was Stéphane who launched Roger Pradier®'s contemporary ranges of outdoor lighting. Taking the helm of the entire design process, he does his share of sketching and modelling, and provides creative oversight every step of the way.

Excellence and utility are his watchwords. He enjoys balancing ingenuity with design to address the ethical, environmental and sustainability issues inherent in lighting engineering. For Stéphane, every lamp represents an aesthetic challenge, embodying his personal commitment to design first-rate products that meet today's standards on criteria like energy efficiency and longevity.

He's known for the innovative form and playful feel of his lighting fixtures, including Equix, Picto, Grumo, Brick, Bamboo, Sherlock, RP195, and the Ibuk wall light, which won the 2015 VIA Award for its originality.
His design approach interweaves childhood memories and innovation with technical understanding, so that after the initial surprise, you see that utility is the only remaining reason...



© Julien Jouanjus

matali crasset

La Hutte

matali crasset, an industrial designer by training, experiences design as a form of seeking. The offbeat stance she takes as her starting point informs her interventions in the everyday, and prompts imagined scenarios for the future.

Her knowledgeable – yet always fresh – worldview leads her to question the unassailable nature of conventions, all the better to break free of them. She operates in many spheres, her interventions always linked to her encounters. Eclectic collaborations – from handicrafts to contemporary art, from the textile industry to fair trade – have led to her working in scenography, furniture, architecture, graphic design and art. So far, her associates on various projects include artist Peter Halley, up-and-coming designer furniture companies, local authorities (Geneva Cité Library, the town of Istres) and local communities.

With this wealth of creative practice under her belt, matali is now veering towards increasingly participative projects, working at both local and global scale, and in rural as well as urban settings.

Her fictional inventions, her narratives, and the meaning of her work are essentially bound up with the question of community and living together.

matali crasset designed the La Hutte line for Roger Pradier®'s 2018-2019 catalogue.



© Dimitri Coste

Patrick Norguet

Tools - Square

French industrial designer Patrick Norguet has taken an unusual career path in his pursuit of the flawless line. He's well known among the big names of high-end designer furniture, both in France and internationally. A fateful meeting with Giulio Cappellini in 1999 and the subsequent release of his famous Rainbow Chair propelled Patrick into the top ranks of the design elite.

There's a very French elegance and 'fittingness' about his pieces, whether they're intended for the masses or a more upscale market.

Norguet's work has won a long string of awards, along with a place in the permanent collection of New York's MoMA and in the Museum of Modern Art in Miami.

In creating his timeless, beautifully balanced objects, he draws inspiration from the world around him, and from the generous spirit of people he meets.



© Morgane Le Gall

Normal Studio

Séléné

Working together as Normal Studio, design duo Jean-François Dingjian and Eloi Chafaï promote a kind of design stripped back to its most fundamental. Their name dissimulates a yearning for perfect form. The timeless objects they produce fly in the face of fashion and posturing, reflecting their strong belief in the social and cultural values of design.

By 2016 when Normal Studio celebrated its first decade on the French scene, it already had a pile of accolades to its name. The Design/Enterprise award at Designers' Day 2010 honoured the team's collaboration with Tolix, where they were creative directors from 2007 to 2013. They won 2010 Designer of the Year at Maison & Objet's Now! Show, followed by the Elle Deco Design Award, and numerous VIA labels. Some of their products are now held in the collections of the French Museum of Decorative Arts and the Fonds National d'Art Contemporain (France's state-owned contemporary art collection).

Normal Studio designed Séléné for Roger Pradier®, a range that was awarded the 2011 VIA Label.



© Tristan Everhard

Cédric Ragot

Tank

A multi-talented French designer influenced by contemporary art, Cédric Ragot has marked the design world with the sensitive, intuitive aesthetics of his sober objects.

This prolific designer set up Cédric Ragot Design Studio in 2002 to work alongside big-name brands on development and positioning.

A very intuitive designer, Ragot has been recognised with numerous accolades.
Some of his pieces are in the Fonds National d'Art Contemporain and on display in Paris, Hannover, Vienna, New York, or Milan.

With his latest design, Tank, he leaves the abiding imprint of his talent on Roger Pradier®.

Roger Pradier® warranties

25 year anti-corrosion warranty

The Roger Pradier® company commits itself to replace any faulty part that shows sign of corrosion in a period of 25 years from the date of acquisition by the final client, upon presentation of the purchase invoice.

The guarantee applies only to the aluminium part of Roger Pradier® products installed above ground in accordance with industry standards and with the original surface treatment being intact.

Exclusions: products that are scratched, scored, covered with silicone, cement, or any other material, or that have suffered collision or various chemical treatments. This guarantee also excludes any phenomenon that may modify the aspect of the covering over time, natural dirt, deposits of all types, etc…

For the guarantee to be applied, it requires a return to the factory of the product(s) concerned. No exchange prior to that return can be considered. The Roger Pradier® company will replace only the damaged part and not the entire device, net of carriage costs as well as costs relating to the assembly and installation.

The Roger Pradier® company reserved the right to analyse or to have analysed, by any method of its choice, the damaged caused by corrosion, in order to determine the reliability and the conditions of the said damage.
In any event, this guarantee does not apply to the various electrical components and accessories of the product.

3 year technical warranty

Other than the specific 25-Year Anti-Corrosion Warranty, Roger Pradier® products are guaranteed for 3-years. The technical warranty covers over a 3-years period from the date from the acquisition date by the final client, upon presentation of the purchase receipt. This warranty shall only apply to products installed according to current practice and which are used in conformance with our recommendations. Any intervention or modification made to the product and its components is expressly excluded from this warranty.

In order to be applied, the warranty requires that the product concerned be returned to the factory. Prior to this, no exchange will be considered. Roger Pradier® will only replace the damaged part and not the whole device; shipping, dismantling and installation costs are excluded.

Roger Pradier®'s sales commitment

- A century's worth of experience as a French manufacturer of outdoor lighting devices
- Widely acknowledged expertise
- A culture of quality
- External inspections
- International certifications



Cooper

Design by Stéphane Joyeux














Cooper

IP65
Class 2

Aluminium or brushed lacquered copper or brushed lacquered brass,
Galvanised steel, black or white enamelled steel
Bracket and pole: Velvet black 113
Clear or frosted blown glass diffuser



SOURCE

E27 - 52W max


MODELS




H302 . W205
1




H348 . W302 . D439
2



H782 . W302 . D1124
3



H2485 . W302 . D482
4



H2485 . W900 . D302
5



REFERENCES

Replace ••• with the colour code or the material code

MODELS	DIFFUSERS	E27	CORNER PLATE	SPARE DIFFUSERS
1	CLEAR GLASS	179 001 •••		165 035 609
	FROSTED GLASS	179 002 •••		165 035 610
2	CLEAR GLASS	179 003 •••	147 005 •••	165 035 609
	FROSTED GLASS	179 004 •••		165 035 610
3	CLEAR GLASS	179 005 •••		165 035 609
	FROSTED GLASS	179 006 •••		165 035 610
4	CLEAR GLASS	179 007 •••		165 035 609
	FROSTED GLASS	179 008 •••		165 035 610
5	CLEAR GLASS	179 009 •••		165 035 609
	FROSTED GLASS	179 010 •••		165 035 610

COLOURS CODES

Replace ••• with the colour code

VELVET BLACK 113
RAL 7021 BLACK GREY 107
RAL 7044 SILK GREY 105
RAL 9016 TRAFFIC WHITE 114
RAL 5009 MATT AZURE BLUE 134
BLUE 111
RAL 3005 WINE RED 066
RAL 3013 TOMATO RED 110
RAL 2004 PURE ORANGE 014
RAL 1016 GLOSSY SULFUR YELLOW 057
RAL 6025 FERN GREEN 109
OLD RUSTIC 046

Other colours on request


MATERIAL CODES

BRUSHED LACQUERED COPPER 084
BRUSHED LACQUERED BRASS 075
GALVANISED STEEL 130
WHITE ENAMELLED STEEL 131
BLACK ENAMELLED STEEL 132

With bracket and pole Velvet black 113 for all materials

MOUNTING

Wiring entry points in grey - Fixing kit included



Hogar

Design by Stéphane Joyeux












IP65 (LED)
IP44 (GU10)
IK10
Class 1

Aluminium
Satin-finish PMMA diffuser




H 600 mm
W 260 mm
D 183 mm

Down light convertible into up light

Dimmable 1-10 Volt or Dali


SOURCES

GU10 2x9W
LED 26W - 3000K warm white
LED 26W - 4000K neutral white
LED 35W - 1-10 Volt dimmable - 3000K warm white
LED 35W - 1-10 Volt dimmable - 4000K neutral white
LED 35W - DALI dimmable - 3000K warm white
LED 35W - DALI dimmable - 4000K neutral white




Models **1** to **3**

LED 26W - IP65
Real light output - 1952 lm
IRC > 80




Model **4**

LED 26W - IP65
Real light output - 2055 lm
IRC > 80



Models **1** to **3**


LED 35W - IP65
Real light output - 2628 lm
IRC > 80




Model **4**

LED 35W - IP65
Real light output - 2767 lm
IRC > 80


MODELS



H600 . W260 . D183
1



H800 . W260 . D183
2



H400 . W260 . D183
3



H105 . W260 . D183
4



REFERENCES

Replace ••• with the colour code

MODELS	GU10 2x9W	LED 26W 3000K warm white	LED 26W 4000K neutral white	LED 35W 3000K warm white 1-10 Volt dimmable	LED 35W 4000K neutral white 1-10 Volt dimmable	LED 35W 3000K warm white Dali dimmable	LED 35W 4000K neutral white Dali dimmable	SPARE DIFFUSER
1	177 058 •••	177 010 •••	177 012 •••	177 026 •••	177 028 •••	177 042 •••	177 044 •••	165 090 616
2	177 060 •••	177 014 •••	177 016 •••	177 030 •••	177 032 •••	177 046 •••	177 048 •••	165 090 616
3	177 062 •••	177 018 •••	177 020 •••	177 034 •••	177 036 •••	177 050 •••	177 052 •••	165 090 616
4	177 064 •••	177 022 •••	177 024 •••	177 038 •••	177 040 •••	177 054 •••	177 056 •••	165 090 616

COLOURS CODES


Replace ••• with the colour code

RAL 9005 JET BLACK 000
RAL 7021 BLACK GREY 107
RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101
RAL 5011 STEEL BLUE 065
RAL 6025 FERN GREEN 109
RAL 3013 TOMATO RED 110
OLD RUSTIC 046


Other colours on request

MOUNTING


Wiring entry points in grey - Fixing kit included




1



2



3



4

La Hutte

Design by matali crasset


The “La Hutte” lamp draws inspiration from the shape of a primitive hut, a circular shelter built around the fire that was essential to life.
Its protective glass casing is like the walls of a house, storing and then releasing photons. “La Hutte” is a shelter, a kindly presence that reproduces the warmth and light of a home fire.
The lamp consists of two elements: a metal base available in all colours, and a transparent blown glass upper.
The design comes in three versions, either a table lamp, a model you can hang, or a floor lamp.



La Hutte

IP65
Class 2

Aluminium
Clear glass diffuser




H 345 mm
W 320 mm

SOURCE

E27 - 23W max

MODELS



REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	E27	SPARE DIFFUSER
1	166 001 •••(•)	165 085 609
2	166 002 •••(•)	165 085 609
3	166 003 •••(•)	165 085 609

COLOURS CODES

Replace ••• with the colour code

RAL 7021 BLACK GREY 107
RAL 9010 PURE WHITE 101
BLUE 111
RAL 3013 TOMATO RED 110
RAL 2004 PURE ORANGE 014
RAL 6025 FERN GREEN 109

Other colours on request


PLUGS CODES

The standard Roger Pradier® plugs are SCHUKO plugs type F
Except for French plugs, replace (•) with the country's plug code

UK PLUG UK
type G

SWISS PLUG CH
type J








Lampiok 1


Design by Stéphane Joyeux



Lampiok 1



Lampiok 2



Lampiok 4












Lampiok 1


IP65 (lantern)
Class 2
Class 1 (models 7 and 8)

Aluminium or tinted lacquered brass or patinated lacquered copper
Cup, rod, bracket and pole: black grey 107 (RAL 7021)
Clear or frosted glass diffuser



SOURCE


E27 - 52W max Ø68 mm - H150 mm max



E27 (2450 lm)
Real light output / frosted - 1558 lm
Real light output / clear - 1673 lm

MODELS



H340 . W224
1



H592 . W224
2


H877 . W224
3


H1278 . W224
4


H463 . W224 . D403
5


H941 . W224 . D1088
6


H2485 . W250 . D442
7


H2485 . W821 . D250
8

Lampiok 1

REFERENCES

Replace ••• with the colour code or the material code/ replace (•) with the country's electrical plug code

MODELS	DIFFUSERS	E27	CORNER PLATE	SPARE DIFFUSERS
1	CLEAR GLASS	131 001 •••(•)		165 035 609
	FROSTED GLASS	131 002 •••(•)		165 035 610
2	CLEAR GLASS	131 003 •••		165 035 609
	FROSTED GLASS	131 004 •••		165 035 610
3	CLEAR GLASS	131 005 •••		165 035 609
	FROSTED GLASS	131 006 •••		165 035 610
4	CLEAR GLASS	131 007 •••		165 035 609
	FROSTED GLASS	131 008 •••		165 035 610
5	CLEAR GLASS	131 009 •••	147 005 •••	165 035 609
	FROSTED GLASS	131 010 •••		165 035 610
6	CLEAR GLASS	131 011 •••		165 035 609
	FROSTED GLASS	131 012 •••		165 035 610
7	CLEAR GLASS	131 013 •••		165 035 609
	FROSTED GLASS	131 014 •••		165 035 610
8	CLEAR GLASS	131 015 •••		165 035 609
	FROSTED GLASS	131 016 •••		165 035 610

COLOURS CODES

Replace ••• with the colour code

- RAL 7021 BLACK GREY 107
- RAL 7044 SILK GREY 105
- RAL 9010 PURE WHITE 101
- BLUE 111
- RAL 3013 TOMATO RED 110
- RAL 2004 PURE ORANGE 014
- RAL 1016 SULFUR YELLOW 068
- RAL 6025 FERN GREEN 109

Other colours on request

MATERIAL CODES

- TINTED LACQUERED BRASS 070
- PATINATED LACQUERED COPPER 080

With cup, rod, bracket and pole Black grey 107 (RAL 7021) for all materials


PLUGS CODES

The standard Roger Pradier® plugs are SCHUKO plugs type F
Except for French plugs, replace (•) with the country's plug code


- UK PLUG UK — type G
- SWISS PLUG CH — type J

MOUNTING

Wiring entry points in grey - Fixing kit included




2 to 6



7 8

Lampiok 2

Design by Stéphane Joyeux



Lampiok 1 | Lampiok 2 | Lampiok 4












Lampiok 2


IP65 (lantern)
Class 1

Aluminium or tinted lacquered brass or patinated lacquered copper
Cup, rod, bracket and pole: black grey 107 (RAL 7021)
Clear or frosted glass diffuser



SOURCE

E27 - 52W max Ø 80 mm - H 172 mm max



E27 (2450 lm)
Real light output / frosted - 1558 lm
Real light output / clear - 1673 lm

MODELS




H 780 . W 280
1



H 953 . W 280
2

H 547 . W 280 . D 460
3



H 2804 . W 280 . D 594
4



H 2804 . W 938 . D 280
5

Lampiok 2

REFERENCES

Replace ••• with the colour code or the material code

MODELS	DIFFUSERS	E27	CORNER PLATE	SPARE DIFFUSERS
1	CLEAR GLASS	178 001 •••		165 095 609
	FROSTED GLASS	178 002 •••		165 095 610
2	CLEAR GLASS	178 003 •••		165 095 609
	FROSTED GLASS	178 004 •••		165 095 610
3	CLEAR GLASS	178 005 •••	147 005 •••	165 095 609
	FROSTED GLASS	178 006 •••		165 095 610
4	CLEAR GLASS	178 007 •••		165 095 609
	FROSTED GLASS	178 008 •••		165 095 610
5	CLEAR GLASS	178 009 •••		165 095 609
	FROSTED GLASS	178 010 •••		165 095 610

COLOURS CODES

Replace ••• with the colour code

- RAL 7021 BLACK GREY 107
- RAL 7044 SILK GREY 105
- RAL 9010 PURE WHITE 101
- BLUE 111
- RAL 3013 TOMATO RED 110
- RAL 2004 PURE ORANGE 014
- RAL 1016 SULFUR YELLOW 068
- RAL 6025 FERN GREEN 109

Other colours on request

MATERIAL CODES

- TINTED LACQUERED BRASS 070
- PATINATED LACQUERED COPPER 080

With cup, rod, bracket and pole Black grey colour 107 (RAL 7021) for all materials

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (models 4, 5) p. 318




1 to 3



4 5

Lampiok 4

Design by Stéphane Joyeux



Lampiok 1 Lampiok 2 Lampiok 4










Lampiok 4

IP65 (lantern)
Class 1


Aluminium
For the two coloured version, bracket and mounting plate remain black grey 107 (RAL 7021)
Opal or satin-finish PMMA diffuser (models 1, 3, 5)
Satin-finish PMMA tube diffuser (models 2, 4, 6)



H 551 mm
W 452 mm


SOURCES

LED 35W - 3000K warm white
LED 35W - 4000K neutral white
LED 70W - 3000K warm white (model 1)
LED 70W - 4000K neutral white (model 1)




Models **1**, **3** and **5**

LED 35W - IP65
Real light output - 2720 lm
Real light output - 2940 lm
IRC > 80



Models **2**, **4** and **6**


LED 35W - IP65
Real light output - 3007 lm
IRC > 80




Model **1**

LED 70W - IP65
Real light output/opal - 5440 lm
Real light output/satin - 5885 lm
IRC > 80


MODELS



H 883 . W 452 . D 720
1



H 883 . W 452 . D 720
2



H 4070 . W 452 . D 820
3

H 4070 . W 452 . D 820
4

H 4070 . W 452 . D 1390
5

H 4070 . W 452 . D 1390
6

Lampiok 4

REFERENCES

Replace ••• with the colour code



Monochrome version

MODELS	DIFFUSERS	LED 35W 3000K warm white	LED 35W 4000K neutral white	LED 70W 3000K warm white	LED 70W 4000K neutral white	SPARE DIFFUSERS
1	OPAL PMMA	175 001 •••	175 004 •••	175 007 •••	175 009 •••	165 091 615
	SATIN-FINISH PMMA	175 002 •••	175 005 •••	175 008 •••	175 010 •••	165 091 616
2	PMMA TUBE	175 003 •••	175 006 •••			165 092 612
3	OPAL PMMA	175 011 •••	175 014 •••			165 091 615
	SATIN-FINISH PMMA	175 012 •••	175 015 •••			165 091 616
4	PMMA TUBE	175 013 •••	175 016 •••			165 092 612
5	OPAL PMMA	175 017 •••	175 020 •••			165 091 615
	SATIN-FINISH PMMA	175 018 •••	175 021 •••			165 091 616
6	PMMA TUBE	175 019 •••	175 022 •••			165 092 612

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
RAL 7021 BLACK GREY 107
RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101
RAL 6009 FIR GREEN 067
RAL 3013 TOMATO RED 110
OLD RUSTIC 046

Other colours on request

REFERENCES

Replace ••• with the colour code



Two coloured version with black grey 107 (RAL 7021) bracket and mounting plate

MODELS	DIFFUSERS	LED 35W 3000K warm white	LED 35W 4000K neutral white	LED 70W 3000K warm white	LED 70W 4000K neutral white	SPARE DIFFUSERS
1	OPAL PMMA	175 201 •••	175 204 •••	175 207 •••	175 209 •••	165 091 615
	SATIN-FINISH PMMA	175 202 •••	175 205 •••	175 208 •••	175 210 •••	165 091 616
2	PMMA TUBE	175 203 •••	175 206 •••			165 092 612
3	OPAL PMMA	175 211 •••	175 214 •••			165 091 615
	SATIN-FINISH PMMA	175 212 •••	175 215 •••			165 091 616
4	PMMA TUBE	175 213 •••	175 216 •••			165 092 612
5	OPAL PMMA	175 217 •••	175 220 •••			165 091 615
	SATIN-FINISH PMMA	175 218 •••	175 221 •••			165 091 616
6	PMMA TUBE	175 219 •••	175 222 •••			165 092 612

COLOURS CODES


Replace ••• with the colour code

RAL 6009 FIR GREEN 067
RAL 3013 TOMATO RED 110
RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (models 3 to 6) p.318



1 2



3 to 6

Belcour

Design by Stéphane Joyeux












Belcour

IP44
Class 1

Aluminium or brushed lacquered copper or brushed raw zinc dome
Clear or frosted glass diffuser



H 267 mm
W 320 mm
D 419 mm

SOURCE

E27 - 60W max Ø 68 mm - H 160 mm max



E27 (2450 lm)
Real light output / frosted - 1585 lm
Real light output / clear - 1583 lm

MODELS



H 267 . W 320 . D 419
1




H 398 . W 320
2




H 295 . W 320 . D 421
8




H 385 . W 320 . D 466
9




H 1016 . W 320 . D 517
3



H 2196 . W 320 . D 552
4



H 2196 . W 855 . D 320
5



H 2196 . W 786
6



Belcour

REFERENCES

Replace ••• with the colour code

MODELS	DIFFUSERS	E27	CORNER PLATE	SPARE DIFFUSERS
1	CLEAR GLASS	106 001 •••	147 005 •••	165 035 609
	FROSTED GLASS	106 002 •••		165 035 610
2	CLEAR GLASS	106 003 •••		165 035 609
	FROSTED GLASS	106 004 •••		165 035 610
3	CLEAR GLASS	106 005 •••		165 035 609
	FROSTED GLASS	106 006 •••		165 035 610
4	CLEAR GLASS	106 007 •••		165 035 609
	FROSTED GLASS	106 008 •••		165 035 610
5	CLEAR GLASS	106 009 •••		165 035 609
	FROSTED GLASS	106 010 •••		165 035 610
6	CLEAR GLASS	106 011 •••		165 035 609
	FROSTED GLASS	106 012 •••		165 035 610
8	CLEAR GLASS	106 013 •••	147 005 •••	165 035 609
	FROSTED GLASS	106 014 •••		165 035 610
9	CLEAR GLASS	106 015 •••	147 005 •••	165 035 609
	FROSTED GLASS	106 016 •••		165 035 610

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
SLATE GREY 059
METAL GREY 023
RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
WHITE 001
RAL 3020 TRAFFIC RED 056
RAL 6018 YELLOW GREEN 015
RAL 5009 MATT AZURE BLUE 134
SANDSTONE 054
OLD RUSTIC 046

Other colours on request


MATERIAL CODES

BRUSHED LACQUERED COPPER 084
BRUSHED RAW ZINC 092

With bracket and pole Velvet black 113 for all materials

MOUNTING

Wiring entry points in grey - Fixing kit included




1 2 8 9 3 4 to 6

Klint

Design by Stéphane Joyeux









28




IP65
Class 2

Aluminium, brushed lacquered copper, brushed stainless steel 316L
Clear glass diffuser




SOURCES

LED 2x2W - 2800K warm white
LED 2x2W - 4000K neutral white





LED 2x2W - 40/40°
Real light output - 414 lm
IRC > 80



MODELS



H125.W125.D77
1



H125.W125.D70
2



H125.W125.D70
3



CUSTOMIZABLE SIGNAGE

on request



4 5 6

4 Square cut out 80x80mm + printing on diffuser
5 Laser cutting
6 Laser cutting + printing on diffuser

Klint

REFERENCES

Replace ••• with the colour code or the material code

MODELS	LED 2x2W 2800K warm white	LED 2x2W 4000K neutral white
1	167 001 •••	167 002 •••
2	167 003 •••	167 004 •••
3	167 005 •••	167 006 •••

Customizable signage

MODELS	LED 2x2W 2800K warm white	LED 2x2W 4000K neutral white
4	167 007 •••	167 008 •••
5	167 403 •••	167 404 •••
6	167 405 •••	167 406 •••

COLOURS CODES

Replace ••• with the colour code

VELVET BLACK 113
RAL 7021 BLACK GREY 107
RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101

RAL 3020 TRAFFIC RED 056
RAL 2004 PURE ORANGE 014
RAL 1016 SULFUR YELLOW 068
RAL 6025 FERN GREEN 109
BLUE 111


Other colours on request

MATERIAL CODES

BRUSHED LACQUERED COPPER 084
BRUSHED STAINLESS STEEL 018

MOUNTING

Wiring entry points in grey - Fixing kit included



1

Brick^2

Design by Stéphane Joyeux












Brick²

IP44
Class 2


Aluminium
Clear glass diffuser or black satin-finish PMMA Diffuser
Satin-finish polycarbonate bulb cover (model 1)
Satin-finish PMMA bulb cover (models 2 to 4)



H 303 mm
W 169 mm
D 110 mm

SOURCE

E27 - 23W max
Ø 67 mm - H 175 mm max (model 1)
Ø 60 mm - H 180 mm max (models 2 to 4 with bulb cover)
Ø 80 mm - H 220 mm max (models 2 to 4 without bulb cover)



Model **1** with bulb cover

E27 (2450 lm)
Real light output - 1180 lm



Models **2** to **4** with bulb cover


E27 (1520 lm)
Real light output - 880 lm




Models **1** to **4** without bulb cover

E27 (2450 lm)
Real light output - 2350 lm


MODELS




H 303 . W 169 . D 110
1



H 500 . W 170 . D 100
2



H 800 . W 170 . D 100
3



H 1100 . W 170 . D 100
4



REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	DIFFUSERS	E27	E27 + SENSOR	SOCKETS	DIFFUSERS	SPARE BULB COVERS
1	CLEAR GLASS	108 001 •••			165 013 609	165 071 611
	BLACK PMMA	108 004 •••			165 013 617	
2	CLEAR GLASS	108 002 •••			165 014 609	165 072 612
	BLACK PMMA	108 005 •••			165 014 617	
3	CLEAR GLASS	108 003 •••			165 014 609	165 072 612
	BLACK PMMA	108 006 •••			165 014 617	
4	CLEAR GLASS	108 007 •••	108 008 •••	108 009 •••(•)	165 014 609	165 072 612
	BLACK PMMA	108 010 •••	108 011 •••	108 012 •••(•)	165 014 617	

COLOURS CODES

Replace ••• with the colour code

- VELVET BLACK 113
- RAL 7021 BLACK GREY 107
- RAL 7044 SILK GREY 105
- RAL 9010 PURE WHITE 101
- RAL 5011 STEEL BLUE 065
- RAL 3005 WINE RED 066
- RAL 3013 TOMATO RED 110
- RAL 3020 TRAFFIC RED 056
- RAL 2004 PURE ORANGE 014

Other colours on request

- RAL 6025 FERN GREEN 109
- DARK GREY 006
- SLATE GREY 059
- WHITE 001
- BLUE 111
- LIMESTONE 053
- SANDSTONE 054
- OLD RUSTIC 046
- RAW ALUMINIUM - MATT VARNISH 129
  for model 1 only

SOCKETS CODES

Except for French socket, replace (•) with country's socket code

SCHUKO SOCKET SK
type F

SWISS SOCKET CH
type J

MOUNTING

Wiring entry points in grey - Fixing kit included



1



2 to 4

Tetra

Design by Stéphane Joyeux












Tetra

IP65
IK10
Class 1


Aluminium
Clear polycarbonate diffuser
Stainless steel bulb cover (E27 and G24q-3 versions)




H 300 mm
W 170 mm
D 116 mm

SOURCES

LED 20W - 2900K warm white
LED 20W - 4500K neutral white
G24q-3 - 26W
E27 - 70W max Ø 66 mm - H 175 mm max
GU6,5 IM on request




E27 (2450 lm)
Real light output - 609 lm




LED 20W
Real light output - 743 lm
IRC > 80


MODELS




H 300 . W 170 . D 116
1




H 500 . W 170 . D 100
2



H 800 . W 170 . D 100
3



H 1100 . W 170 . D 100
4



H 2100 . W 170 . D 100
5



REFERENCES

Replace ●●● with the colour code / replace (●) with the country's electrical plug code

MODELS	E27	G24q-3	LED 20W 2900K warm white	LED 20W 4500K neutral white	SPARE DIFFUSERS	SPARE BULB COVER
1	162 001 ●●●	162 004 ●●●	162 006 ●●●	162 005 ●●●	165 066 601	165 075 018
2	162 007 ●●●	162 009 ●●●	162 011 ●●●	162 010 ●●●	165 066 601	165 075 018
3	162 012 ●●●	162 014 ●●●	162 016 ●●●	162 015 ●●●	165 066 601	165 075 018
4	162 017 ●●●	162 019 ●●●	162 021 ●●●	162 020 ●●●	165 066 601	165 075 018
5	162 022 ●●●	162 024 ●●●	162 026 ●●●	162 025 ●●●	165 066 601	165 075 018

With sensor

MODELS	E27	G24q-3	LED 20W 2900K warm white	LED 20W 4500K neutral white	SPARE DIFFUSERS	SPARE BULB COVER
1	162 002 ●●●				165 066 601	165 075 018
4	162 027 ●●●	162 028 ●●●	162 029 ●●●	162 030 ●●●	165 066 601	165 075 018

With sockets

MODELS	E27	G24q-3	LED 20W 2900K warm white	LED 20W 4500K neutral white	SPARE DIFFUSERS	SPARE BULB COVER
4	162 031 ●●●	162 032 ●●●(●)	162 033 ●●●(●)	162 034 ●●●(●)	165 066 601	165 075 018

COLOURS CODES

Replace ●●● with the colour code

RAL 9005 JET BLACK 000
DARK GREY 006
METAL GREY 023
WHITE 001

RAL 3013 TOMATO RED 110
RAL 3020 TRAFFIC RED 056
OLD RUSTIC 046

Other colours on request

SOCKETS CODES


Except for French socket, replace (●) with country's socket code

SCHUKO SOCKET SK
type F


SWISS SOCKET CH
type J

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (model 5) p.318



1



2 to 5

Tank

Design by Cédric Ragot


Inspired by the New York water tanks, the Tank lamps are such as light storehouses.
Almost larger than life, contrasted finishes with opalescent diffuser and a wooden base, Tank lamps blend industrial codes and the habitat world to multiply usages.



Tank

IP65
Class 2

Retified wood, sandblasted stainless steel
Opal polypropylene diffuser



H 722 mm
W 421 mm


SOURCE

E27 - 60W max Ø 80 mm - H 280 mm max

MODELS



H 722 . W 421
2



H 1351 . W 494
3



REFERENCES

Replace (•) with the country's electrical plug code

MODELS	E27
2	159 002 998 (•)
3	159 003 998 (•)

PLUGS CODES

The standard Roger Pradier® plugs are SCHUKO plugs type F
Except for French plugs, replace (•) with the country's plug code

UK PLUG UK
type G

SWISS PLUG CH
type J








Séléné

Design by Normal Studio

Séléné has a presence that is almost sculptural. This range, which comes with pureness of line, was born of close observation of the know-how gained from the techniques of tin-smithing.
"The generosity of the form calls to mind the leaf of the water lily. The velvety appearance of the colours chosen is a counterpart to the downy surfaces of some plants," say Jean-François Dingjian and Eloi Chafaï.
The masked light source gives out a beautiful luminous halo that plays with the colour of the support.


Label VIA 2011



Séléné

IP65
Class 2


Aluminium
Opal polycarbonate diffuser




SOURCES

LED 13W - 2900K warm white - triac dimmable
LED 13W - 4000K neutral white - triac dimmable

MODELS


H 651 . W 498 . D 142
1


H 499 . W 702 . D 136
2



REFERENCES

Replace ••• with the colour code

MODELS	LED 13W 2900K warm white	LED 13W 4000K neutral white
1	155 001 •••	155 002 •••
2	155 003 •••	155 004 •••


COLOURS CODES

Replace ••• with the colour code

RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101
BLUE 111
RAL 2004 PURE ORANGE 014
RAL 1016 SULFUR YELLOW 068
Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included







Picto


Design by Stéphane Joyeux



Picto

IP44 (model 1)
IP65 (model 2)
Class 2


Aluminium or clear PMMA body
Clear polycarbonate diffuser



SOURCE

GX53 - 9W max Ø 75 mm - H 26 mm max

MODELS



H 300 . W 130 . D 80
1

H 488 . W 130 . D 60
2

REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	ALUMINIUM BODY GX53	CLEAR PMMA BODY GX53
1	146 001 •••	146 002 605
2	146 003 •••(•)	

COLOURS CODES

Replace ••• with the colour code

- RAL 7021 BLACK GREY 107
- RAL 7044 SILK GREY 105
- RAL 5011 STEEL BLUE 065
- OLD RUSTIC 046
- RAL 3020 TRAFFIC RED 056
- RAL 2004 PURE ORANGE 014
- RAL 6018 YELLOW GREEN 015

Other colours on request

PLUGS CODES


The standard Roger Pradier® plugs are SCHUKO plugs type F
Except for French plugs, replace (•) with the country's plug code

UK PLUG UK
type G

SWISS PLUG CH
type J

MOUNTING

Wiring entry points in grey - Fixing kit included



1



Tools

Design by Patrick Norguet


More than just a light, Tools is a system. This object can be used in a variety of settings, both inside and outside the house: dinner, reading, receiving guests, indicating, etc. Tools comes as a lamp to be fixed to the corner of a table thanks to its clamp base, as a floor lamp and as a wall lamp. The æsthetic used – aluminium and wood – as well as the construction details of the object are a seamless evocation of the simple, functional universe of garden tools.



Tools

IP65
Class 2

Aluminium and acacia wood
Satin-finish polycarbonate diffuser




SOURCES

LED 13W - 2900K warm white - triac dimmable
LED 13W - 4000K neutral white - triac dimmable


MODELS



H355 . W188 . D300
1



H931 . W188 . D335
2



H1658 . W272 . D544
4



REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	LED 13W - 2900K warm white	LED 13W - 4000K neutral white
1	160 001 •••	160 002 •••
2	160 003 •••(•)	160 004 •••(•)
4	160 007 •••(•)	160 008 •••(•)

COLOURS CODES

Replace ••• with the colour code

RAL 7021 BLACK GREY 107
RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101
RAL 3013 TOMATO RED 110
RAL 6025 FERN GREEN 109

Other colours on request

PLUGS CODES


The standard Roger Pradier® plugs are SCHUKO plugs type F
Except for French plugs, replace (•) with the country's plug code

UK PLUG UK
type G

SWISS PLUG CH
type J

MOUNTING

Wiring entry point in grey - Fixing kit included



1







Faktory


Design by Stéphane Joyeux



Faktory

IP44
Class 1


Aluminium - white reflector
Lacquered copper or raw zinc - black reflector
Clear glass diffuser



H 223 mm
W 346 mm
D 438 mm

SOURCE

E27 - 70W max Ø 68 mm - H 160 mm max



E27 (2450 lm)
Real light output - 1530 lm

MODELS



H 223 . W 346 . D 438
1




H 500 . W 346
2



H 2 000 . W 346
3



H 2 485 . W 346 . D 593
5



H 2 485 . W 346 . D 936
6



REFERENCES

Replace ••• with the colour code or the material code

MODELS	E27	CORNER PLATE	SPARE DIFFUSER
1	122 001 •••	147 005 •••	165 001 609
2	122 002 •••		165 001 609
3	122 003 •••		165 001 609
5	122 004 •••		165 001 609
6	122 005 •••		165 001 609

COLOURS CODES

Replace ••• with the colour code

RAL 7021 BLACK GREY 107
SLATE GREY 059
RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101
RAL 3013 TOMATO RED 110
OLD RUSTIC 046

Other colours on request


MATERIAL CODES

LACQUERED COPPER 084
RAW ZINC 092

With rod, bracket and pole Jet black colour 000 (RAL 9005) for all materials

MOUNTING

Wiring entry points in grey
Fixing kit included



1 to 3



5 6







RP195


Design by Stéphane Joyeux



RP195


IP65
Class 1 (models 3 and 4)
Class 2 (models 1 and 2)

Aluminium or raw copper or brushed stainless steel
Clear or frosted glass diffuser




SOURCES

E27 - 52W max (models 1 and 3) Ø68 mm - H150 mm max
E27 - 70W max (models 2 and 4) Ø68 mm - H150 mm max



Models **1** and **3**

E27 (2450 lm)
Real light output/frosted - 1106 lm
Real light output/clear - 1085 lm



Models **2** and **4**

E27 (2450 lm)
Real light output/frosted - 1024 lm
Real light output/clear - 977 lm


MODELS




H103 . W114 . D203
1



H131 . W145 . D240
3



H552 . W114 . D206
2



H602 . W145 . D243
4



REFERENCES

Replace ••• with the colour code or the material code

MODELS	DIFFUSERS	E27	SPARE DIFFUSERS
1	CLEAR GLASS	153 001 •••	165 035 609
	FROSTED GLASS	153 002 •••	165 035 610
2	CLEAR GLASS	153 003 •••	165 035 609
	FROSTED GLASS	153 004 •••	165 035 610
3	CLEAR GLASS	153 005 •••	165 095 609
	FROSTED GLASS	153 006 •••	165 095 610
4	CLEAR GLASS	153 007 •••	165 095 609
	FROSTED GLASS	153 008 •••	165 095 610

COLOURS CODES

Replace ••• with the colour code

DARK GREY 006
SLATE GREY 059
RAL 7044 SILK GREY 105
OLD RUSTIC 046

RAL 3020 TRAFFIC RED 056
RAL 2004 PURE ORANGE 014
RAL 1016 SULFUR YELLOW 068
RAL 6025 FERN GREEN 109
RAL 6021 PALE GREEN 133

Other colours on request

MATERIAL CODES


RAW COPPER 082
STAINLESS STEEL 018
With aluminium Jet black 000 (RAL 9005) bollard for raw copper

MOUNTING

Wiring entry points in grey
Fixing kit included




1



2



3




4





Hugy


Design by Stéphane Joyeux



Hugy

IP65
Class 2

Aluminium
Clear or frosted glass diffuser



Cut-out and bent aluminium sheet metal


Blown glass

Wall orceiling mounted

H 253 mm
W 206 mm
D 120 mm

SOURCE

E27 - 42W max Ø 68 mm - H 130 mm max



E27 (2450 lm)
Real light output / frosted - 2286 lm
Real light output / clear - 1939 lm

REFERENCES

Replace ••• with the colour code

MODEL	DIFFUSERS	E27	SPARE DIFFUSERS
1	CLEAR GLASS	125 001 •••	165 001 609
	FROSTED GLASS	125 002 •••	165 001 610

COLOURS CODES

Replace ••• with the colour code


RAL 7021 BLACK GREY 107
DARK GREY 006
SLATE GREY 059
RAL 7044 SILK GREY 105
OLD RUSTIC 046

RAL 3020 TRAFFIC RED 056
RAL 2004 PURE ORANGE 014
RAL 6025 FERN GREEN 109
RAL 1016 SULFUR YELLOW 068


Other colours on request

MOUNTING

Wiring entry point in grey - Fixing kit included



1



H 253 . W 206 . D 120

1








Kent



Kent

IP44
Class 1


Aluminium
Clear prismatic glass diffuser



H 339 mm
W 320 mm
D 430 mm

SOURCE

E27 - 105W max Ø 80 mm - H 140 mm max




E27 (2450 lm)
Real light output - 2055 lm


MODELS



H 330 . W 320
1



H 339 . W 320 . D 430
2



H 1001 . W 320 . D 517
3

H 2185 . W 320 . D 559
4

H 2185 . W 320 . D 869
5

REFERENCES

Replace ••• with the colour code

MODELS	E27	SPARE DIFFUSER
1	127 001 •••	165 030 609
2	127 002 •••	165 030 609
3	127 003 •••	165 030 609
4	127 004 •••	165 030 609
5	127 005 •••	165 030 609

COLOURS CODES


Replace ••• with the colour code

- RAL 7021 BLACK GREY 107
- DARK GREY 006
- SLATE GREY 059
- RAL 7044 SILK GREY 105
- RAL 9010 PURE WHITE 101
- RAL 3013 TOMATO RED 110
- RAL 5011 STEEL BLUE 065
- BLUE 111
- OLD RUSTIC 046

Other colours on request

MOUNTING

Wiring entry points in grey
Fixing kit included



1 2 | 3 | 4 5







Mona


Design by Stéphane Joyeux



Mona

IP65
IK10
Class 2


Aluminium
Opal polycarbonate diffuser



H 347 mm
W 347 mm
D 108 mm

SOURCES

2Gx13 FLC 22W
LED 35W - 2700K warm white - triac dimmable
LED 35W - 4500K neutral white - triac dimmable



LED 35W
Real light output - 1349 lm
IRC > 80

REFERENCES

Replace ••• with the colour code

MODEL	2Gx13 FLC 22W	LED 35W 2700K warm white	LED 35W 4500K neutral white	SPARE DIFFUSER
1	137 001 •••	137 002 •••	137 003 •••	165 043 602

COLOURS CODES

Replace ••• with the colour code

- RAL 9005 JET BLACK 000
- VELVET BLACK 113
- RAL 7021 BLACK GREY 107
- RAL 7044 SILK GREY 105
- WHITE 001
- RAL 3013 TOMATO RED 110
- RAL 2004 PURE ORANGE 014
- RAL 1016 SULFUR YELLOW 068

Other colours on request


- RAL 5011 STEEL BLUE 065
- BLUE 111
- SANDSTONE 054



H347 . W347 . D108
1

MOUNTING

Wiring entry points in grey - Fixing kit included



1









Grumo


Design by Stéphane Joyeux



Grumo

IP65
IK09
Class 1

Aluminium
Opal polycarbonate diffuser



H 595 mm
W 400 mm

SOURCE

E27 - 52W max Ø 120 mm - H 280 mm max




E27 (2450 lm)
Real light output - 1572 lm

MODELS



H595 . W400
1



H580 . W400
3



REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	E27	SPARE DIFFUSERS
1	124 001 •••(•)	165 027 602
3	124 002 •••(•)	165 028 602

COLOURS CODES

Replace ••• with the colour code

RAL 7021 BLACK GREY 107		RAL 3020 TRAFFIC RED 056	
RAL 7044 SILK GREY 105		RAL 2004 PURE ORANGE 014	
RAL 5011 STEEL BLUE 065		RAL 6018 YELLOW GREEN 015	

Other colours on request

PLUGS CODES

The standard Roger Pradier® plugs are SCHUKO plugs type F
Except for French plugs, replace (•) with the country's plug code

UK PLUG UK
type G


SWISS PLUG CH
type J





Sherlock


Design by Stéphane Joyeux



Sherlock

IP65
Class 1 (models 3 and 4)
Class 2 (models 1 and 2)

Aluminium
Clear or frosted glass diffuser



SOURCE

E27 - 42W max Ø68 mm - H150 mm max



Models **1** and **3**

E27 (2450 lm)
Real light output/frosted - 1757 lm
Real light output/clear - 1857 lm



Models **2** and **4**

E27 (2450 lm)
Real light output/frosted - 1624 lm
Real light output/clear - 1698 lm

MODELS




H174 . W110 . D249
1



H208 . W140 . D303
3



H710 . W110 . D212
2



H771 . W142 . D246
4



REFERENCES

Replace ••• with the colour code

MODELS	DIFFUSERS	E27	SPARE DIFFUSERS
1	CLEAR GLASS	154 001 •••	165 035 609
	FROSTED GLASS	154 002 •••	165 035 610
2	CLEAR GLASS	154 003 •••	165 035 609
	FROSTED GLASS	154 004 •••	165 035 610
3	CLEAR GLASS	154 005 •••	165 095 609
	FROSTED GLASS	154 006 •••	165 095 610
4	CLEAR GLASS	154 007 •••	165 095 609
	FROSTED GLASS	154 008 •••	165 095 610

COLOURS CODES

Replace ••• with the colour code

RAL 7021 BLACK GREY 107
DARK GREY 006
SLATE GREY 059


RAL 7044 SILK GREY 105
OLD RUSTIC 046
RAL 3020 TRAFFIC RED 056


RAL 2004 PURE ORANGE 014
RAL 1016 SULFUR YELLOW 068
RAL 6025 FERN GREEN 109

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included









Equix


Design by Stéphane Joyeux



Equix

IP55
Class 1


Aluminium head and pole - bichromated steel floor plate
Toughened borosilicate glass diffuser



SOURCE

LED 35W - 4000K neutral white
Initial flux - 5500 lm
IRC > 80

MODELS



REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	LED 35W 4000K neutral white	SPARE DIFFUSER
1	121 001 •••(•)	165 026 610
2	121 002 •••(•)	165 026 610

COLOURS CODES

Replace ••• with the colour code

RAL 7021 BLACK GREY 107
RAL 7044 SILK GREY 105
RAL 3005 WINE RED 066
RAL 5011 STEEL BLUE 065

Other colours on request

PLUGS CODES

The standard Roger Pradier® plugs are SCHUKO plugs type F
Except for French plugs, replace (•) with the country's plug code

UK PLUG UK
type G

SWISS PLUG CH
type J








OL 1



OL1

IP55
Class 1

Aluminium
Satin-finish PMMA diffuser




SOURCE

E27 - 30W max Ø 64 mm - H 200 mm max



E27 (2450 lm)
Real light output - 1719 lm

MODELS




H 600. W 106 . D 261
1



H 339. W 106 . D 195
2



H 384. W 150
3



H 933. W 150
4



REFERENCES

Replace ••• with the colour code

MODELS	E27	G24d-3
1	142 001 •••	142 002 •••
2	142 003 •••	142 004 •••
3	142 005 •••	142 006 •••
4	142 007 •••	142 008 •••

COLOURS CODES


Replace ••• with the colour code

RAL 7021 BLACK GREY 107
RAL 7044 SILK GREY 105
RAL 3013 TOMATO RED 110
OLD RUSTIC 046

Other colours on request

MOUNTING

Wiring entry points in grey
Fixing kit included



1 2 3 4







OL 3












OL3


IP55
Class 1

Aluminium
Frosted tempered glass diffuser



SOURCES

LED 28W - 3000K warm white
LED 28W - 4500K neutral white
E27 - 23W max Ø 66 mm - H 145 mm max
E27 PAR30 - 75W max



LED 28W
Real light output - 1303 lm
IRC > 80

MODELS



H677.W220.D401
1




H451.W220.D311
2




H496.W220.D249
3




H1045.W220.D249
4



H2437.W250
5



H3101.W732.D250
6



H3101.W732.D250
7



REFERENCES

Replace ••• with the colour code

MODELS	E27	E27 PAR30	LED 28W 3000K warm white	LED 28W 4500K neutral white
1	144 001 •••	144 002 •••	144 005 •••	144 004 •••
2	144 006 •••	144 007 •••		
3	144 008 •••	144 009 •••		
4	144 010 •••	144 011 •••	144 014 •••	144 013 •••
5	144 015 •••	144 016 •••	144 019 •••	144 018 •••
6	144 020 •••	144 021 •••	144 024 •••	144 023 •••
7	144 025 •••	144 026 •••		

COLOURS CODES


Replace ••• with the colour code

RAL 7021 BLACK GREY 107
RAL 7044 SILK GREY 105
RAL 3013 TOMATO RED 110
OLD RUSTIC 046

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (models 5 to 7) p. 318



Ibuk

Design by Stéphane Joyeux

Label VIA 2015















IP65
IK10
Class 2


Aluminium
Black or white polycarbonate front diffuser
Clear polycarbonate Up & Down diffusers Ø 80



H 377 mm
W 99 mm
D 110 mm

SOURCES


LED 3x4,5W - 3000K warm white
LED 3x4,5W - 4300K neutral white




LED 3x4,5W - 10/10°
Real light output - 307 lm
IRC > 80

LED 3x4,5W - 10/40°
Real light output - 630 lm
IRC > 80

LED 3x4,5W - 40/40°
Real light output - 980 lm
IRC > 80



MODEL




H377 . W99 . D110

1



DIFFUSERS



REFERENCES

Replace ••• with the colour code

Warm white

MODEL	FRONT DIFFUSER	LED 3x4,5W - 10/10° 3000K warm white	LED 3x4,5W - 10/40° 3000K warm white	LED 3x4,5W - 40/40° 3000K warm white
1	WHITE POLYCARBONATE	126 001 •••	126 002 •••	126 003 •••
	BLACK POLYCARBONATE	126 004 •••	126 005 •••	126 006 •••

Neutral white

MODEL	FRONT DIFFUSER	LED 3x4,5W - 10/10° 4300K neutral white	LED 3x4,5W - 10/40° 4300K neutral white	LED 3x4,5W - 40/40° 4300K neutral white
1	WHITE POLYCARBONATE	126 007 •••	126 008 •••	126 009 •••
	BLACK POLYCARBONATE	126 010 •••	126 011 •••	126 012 •••

COLOURS CODES

Replace ••• with the colour code


- RAL 7021 BLACK GREY 107
- RAL 7044 SILK GREY 105
- RAL 9010 PURE WHITE 101
- RAL 3005 WINE RED 066
- RAL 3013 TOMATO RED 110
- RAL 3020 TRAFFIC RED 056
- RAL 2004 PURE ORANGE 014
- RAL 1016 SULFUR YELLOW 068
- RAL 6025 FERN GREEN 109

- VELVET BLACK 113
- DARK GREY 006
- BLUE 111
- SANDSTONE 054

Other colours on request

MOUNTING

Wiring entry point in grey - Fixing kit included




1

Ibuk

Square


Design by Patrick Norguet



Square

IP65
IK09
Class 1


Aluminium
Satin-finish polycarbonate diffuser



H 259 mm
W 226 mm
D 271 mm


SOURCES

LED 30W - 2700K warm white
LED 30W - 4000K neutral white



Model **1**

LED 30W
Real light output - 2716 lm
IRC > 80



Models **2** to **4**


LED 30W
Real light output - 2691 lm
IRC > 80

MODELS




H 259 . W 226 . D 271
1

H 796 . W 268
2



H 1 246 . W 268
3



H 2 292 . W 303
4



REFERENCES

Replace ••• with the colour code

MODELS	LED 30W 2700K warm white	LED 30W 4000K neutral white
1	156 002 •••	156 001 •••
2	156 004 •••	156 003 •••
3	156 006 •••	156 005 •••
4	156 008 •••	156 007 •••

COLOURS CODES

Replace ••• with the colour code


RAL 7021 BLACK GREY 107
DARK GREY 006
RAL 7044 SILK GREY 105

WHITE 001
RAL 3013 TOMATO RED 110
LIMESTONE 053

Other colours on request

MOUNTING

Wiring entry points in grey
Fixing kit included



1 | 2 to 3 | 4






Surf



Surf

IP44
IK09
Class 1


Aluminium
Polycarbonate diffuser



H 180 mm
W 372 mm
D 95 mm

SOURCES

E27 - 75W max Ø 60 mm - H 135 mm max
GU10 PAR16 LED - 2x7W max H 58 mm max



GU10 (350 lm)
Real light output - 2x298 lm

REFERENCES

Replace ••• with the colour code

MODEL	E27	GU10 PAR16 LED
1	158 001 •••	158 004 •••

COLOURS CODES


Replace ••• with the colour code

RAL 7021 BLACK GREY 107
DARK GREY 006
RAL 7044 SILK GREY 105
WHITE 001
LIMESTONE 053
SANDSTONE 054
OLD RUSTIC 046


Other colours on request

MOUNTING

Wiring entry point in grey - Fixing kit included



1



H 180 . W 372 . D 95

1











Bermude


Design by Stéphane Joyeux



Bermude

IP44
Class 1


Aluminium
Frosted glass diffuser



H 275 mm
W 314 mm
D 422 mm

SOURCE

E27 - 105W max Ø68 mm - H180 mm max



E27 (2450 lm)
Real light output - 1230 lm


MODELS




H275.W314.D422
1




H451.W314
2




H813.W314
3



H1124.W314
4



H2169.W314
5



H2294.W314.D914
6



REFERENCES

Replace ●●● with the colour code / replace (●) with the country's electrical plug code

MODELS	E27	E27 + SENSOR	SOCKET	CORNER PLATE	SPARE DIFFUSER
1	115 001 ●●●	115 002 ●●●		147 006 ●●●	165 019 ●●●
2	115 003 ●●●				165 019 ●●●
3	115 004 ●●●		115 005 ●●●(●)		165 019 ●●●
4	115 006 ●●●	115 007 ●●●	115 008 ●●●(●)		165 019 ●●●
5	115 009 ●●●				165 019 ●●●
6	115 010 ●●●				165 019 ●●●

COLOURS CODES


Replace ●●● with the colour code

RAL 7021 BLACK GREY	107	RAL 6009 FIR GREEN	067
DARK GREY	006	RAL 5011 STEEL BLUE	065
RAL 7044 SILK GREY	105	OLD RUSTIC	046
WHITE	001		

Other colours on request

MOUNTING

Wiring entry points in grey
Fixing kit included



SOCKETS CODES

Except for French socket, replace (●) with country's socket code

SCHUKO SOCKET SK
type F

SWISS SOCKET CH
type J







Kerlouan


Design by Stéphane Joyeux



Kerlouan

IP44
Class 1


Aluminium
Polycarbonate diffuser



H 206 mm
W 316 mm
D 405 mm


SOURCE

E27 - 105W max Ø 66 mm - H 145 mm max



E27 (2450 lm)
Real light output - 493 lm

MODELS



REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	E27	E27 + SENSOR	SOCKET	CORNER PLATE	SPARE DIFFUSER
1	128 001 •••			147 005 •••	165 031 601
2	128 002 •••				165 031 601
3	128 003 •••		128 004 •••(•)		165 031 601
4	128 005 •••	128 007 •••	128 006 •••(•)		165 031 601
6	128 008 •••				165 031 601
8	128 009 •••				165 031 601

COLOURS CODES

Replace ••• with the colour code


DARK GREY 006
SLATE GREY 059
METAL GREY 023
WHITE 001

RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
RAL 5011 STEEL BLUE 065
OLD RUSTIC 046

Other colours on request

MOUNTING

Wiring entry points in grey
Fixing kit included



SOCKETS CODES

Except for French socket, replace (•) with country's socket code

SCHUKO SOCKET SK
type F

SWISS SOCKET CH
type J






Montana



Montana

IP44
Class 1

Aluminium
Clear or frosted glass diffuser



H 306 mm
W 282 mm
D 358 mm

SOURCE

E27 - 105W max Ø68 mm - H120 mm max

MODELS




H545 . W282
1



H315 . W282 . D385
2



H306 . W282 . D358
3



H2185 . W827 . D282
4

REFERENCES

Replace ••• with the colour code

MODELS	DIFFUSERS	WHITE ALUMINIUM REFLECTOR E27	LACQUERED COPPER REFLECTOR E27	CORNER PLATES	SPARE DIFFUSERS
1	CLEAR GLASS	139 001 •••	139 002 •••		165 012 609
	FROSTED GLASS	139 003 •••	139 004 •••		165 012 610
2	CLEAR GLASS	139 005 •••	139 006 •••	147 002 •••	165 012 609
	FROSTED GLASS	139 007 •••	139 008 •••		165 012 610
3	CLEAR GLASS	139 009 •••	139 010 •••	147 004 •••	165 012 609
	FROSTED GLASS	139 011 •••	139 012 •••		165 012 610
4	CLEAR GLASS	139 013 •••	139 014 •••		165 012 609
	FROSTED GLASS	139 015 •••	139 016 •••		165 012 610

COLOURS CODES


Replace ••• with the colour code

RAL 7021 BLACK GREY	107	RAL 6009 BRITISH GREEN	019
SLATE GREY	059	RAL 6009 FIR GREEN	067
WHITE	001	GREEN PATINA	008
RAL 5011 STEEL BLUE	065	RAL 3005 WINE RED	066

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included








Newpark












IP44
Class 1

Aluminium
Clear or frosted glass diffuser




H 329 mm
W 251 mm
D 340 mm

SOURCE

E27 - 105W max Ø 68 mm - H 120 mm max

MODELS



H329 . W251 . D340 ❶
H328 . W251 . D280 ❷
H316 . W251 ❸
H571 . W251 ❹
H851 . W251 ❺
H2358 . W664 . D251 ❻
H2238 . W908 . D251 ❼

REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	DIFFUSERS	E27	SOCKET	CORNER PLATE	SPARE DIFFUSERS
❶	CLEAR GLASS	141 001 •••		147 002 •••	165 035 609
	FROSTED GLASS	141 002 •••			165 035 610
❷	CLEAR GLASS	141 003 •••		147 002 •••	165 035 609
	FROSTED GLASS	141 004 •••			165 035 610
❸	CLEAR GLASS	141 005 •••			165 035 609
	FROSTED GLASS	141 006 •••			165 035 610
❹	CLEAR GLASS	141 007 •••			165 035 609
	FROSTED GLASS	141 008 •••			165 035 610
❺	CLEAR GLASS	141 009 •••	141 010 •••(•)		165 035 609
	FROSTED GLASS	141 011 •••	141 012 •••(•)		165 035 610
❻	CLEAR GLASS	141 013 •••			165 035 609
	FROSTED GLASS	141 014 •••			165 035 610
❼	CLEAR GLASS	141 015 •••			165 035 609
	FROSTED GLASS	141 016 •••			165 035 610

Newpark

COLOURS CODES

Replace ••• with the colour code

	RAL 9005 JET BLACK 000
	SLATE GREY 059
	METAL GREY 023
	WHITE 001
	BLUE 111
	RAL 5011 STEEL BLUE 065
	RAL 6009 BRITISH GREEN 019
	RAL 6009 FIR GREEN 067
	RAL 3005 WINE RED 066

Other colours on request


SOCKETS CODES

Except for French socket, replace (•) with country's socket code

SCHUKO SOCKET SK type F
SWISS SOCKET CH type J

MOUNTING

Wiring entry points in grey - Fixing kit included



Aubanne

Design by Stéphane Joyeux












Aubanne

IP44
Class 1


Aluminium
Frosted or clear glass diffuser
Opal polycarbonate reflector



H 296 mm
W 328 mm

SOURCE

E27 - 23W max Ø68mm - H150mm max



E27 (2450 lm)
Real light output / frosted - 1633 lm


MODELS




H220 . W328 . D391
1




H296 . W328
2




H961 . W328 . D489
3



H2185 . W328 . D559
4



H2185 . W828 . D328
5



H2185 . W796
6



Aubanne

REFERENCES

Replace ••• with the colour code

MODELS	DIFFUSERS	E27	CORNER PLATE	SPARE DIFFUSERS
1	CLEAR GLASS	101 001 •••	147 005 •••	165 001 609
	FROSTED GLASS	101 002 •••		165 001 610
2	CLEAR GLASS	101 003 •••		165 001 609
	FROSTED GLASS	101 004 •••		165 001 610
3	CLEAR GLASS	101 005 •••		165 001 609
	FROSTED GLASS	101 006 •••		165 001 610
4	CLEAR GLASS	101 007 •••		165 001 609
	FROSTED GLASS	101 008 •••		165 001 610
5	CLEAR GLASS	101 009 •••		165 001 609
	FROSTED GLASS	101 010 •••		165 001 610
6	CLEAR GLASS	101 011 •••		165 001 609
	FROSTED GLASS	101 012 •••		165 001 610

COLOURS CODES


Replace ••• with the colour code

RAL 9010 PURE WHITE 101
DARK GREY 006
SLATE GREY 059
METAL GREY 023
SANDSTONE 054
OLD RUSTIC 046
RAL 5011 STEEL BLUE 065

Other colours on request

MOUNTING


Wiring entry points in grey - Fixing kit included



1 2 | 3 | 4 to 6

Bamboo


Design by Stéphane Joyeux



Bamboo

IP44 (models 1 and 2)
IP54 (model 3)
IP65 (model 3) on request
Class 1


Aluminium
Clear or opal polycarbonate diffuser



H 291 mm
W 99 mm
D 150 mm

SOURCE

GU10 PAR16 LED - 23W max H 80 mm max



Models **1** to **3**


GU10 (575 lm)
Real light output / clear - 487 lm

MODELS



H 370 . W 99 . D 140
1

H 291 . W 99 . D 150
2



H 498 . W 110 . D 188
3



REFERENCES

Replace ••• with the colour code

MODELS	DIFFUSERS	GU10 PAR16 LED	SPARE DIFFUSERS
1	CLEAR POLYCARBONATE	105 001 •••	165 011 601
	OPAL POLYCARBONATE	105 002 •••	165 011 602
2	CLEAR POLYCARBONATE	105 003 •••	165 011 601
	OPAL POLYCARBONATE	105 004 •••	165 011 602
3	CLEAR POLYCARBONATE	105 005 •••	165 011 601
	OPAL POLYCARBONATE	105 006 •••	165 011 602

COLOURS CODES

Replace ••• with the colour code


DARK GREY 006
SLATE GREY 059
RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101

RAL 3020 TRAFFIC RED 056
RAL 2004 PURE ORANGE 014
RAL 6018 YELLOW GREEN 015
SANDSTONE 054
OLD RUSTIC 046

Other colours on request

MOUNTING

Wiring entry points in grey
Fixing kit included



1 2 3








Loko


Design by Stéphane Joyeux



Loko

IP44
IK10
Class 2


Aluminium
Satin-finish ridged polycarbonate diffuser



H 307 mm
W 168 mm
D 106 mm

SOURCE

E27 - 23W max Ø 75 mm - H 150 mm max



E27 (2450 lm)
Real light output - 1353 lm

REFERENCE

Replace ••• with the colour code

MODEL	E27
1	132 001 •••

COLOURS CODES

Replace ••• with the colour code

RAL 7021 BLACK GREY	107	RAL 3013 TOMATO RED	110
SLATE GREY	059	RAL 6025 FERN GREEN	109
RAL 7044 SILK GREY	105	RAL 1016 SULFUR YELLOW	068
RAL 9010 PURE WHITE	101	SANDSTONE	054
BLUE	111	OLD RUSTIC	046
RAL 5011 STEEL BLUE	065		


Other colours on request

MOUNTING

Wiring entry point in grey - Fixing kit included




1



H 307 . W 168 . D 106

1





Boléro



Boléro

IP23
Class 1

Aluminium
Clear prismatic glass diffuser



H 209 mm
W 247 mm

SOURCE

E27 - 105W max H 150 mm max

MODELS




H 544 . W 247
1



H 394 . W 247 . D 470
2



H 303 . W 247 . D 388
3



H 2345 . W 904 . D 250
5

REFERENCES

Replace ••• with the colour code

MODELS	E27	CORNER PLATES	SPARE DIFFUSER
1	152 001 •••		165 059 •••
2	152 002 •••	147 003 •••	165 059 •••
3	152 003 •••	147 001 •••	165 059 •••
5	152 004 •••		165 059 •••

COLOURS CODES

Replace ••• with the colour code


RAL 9005 JET BLACK 000
SLATE GREY 059
WHITE 001

RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
RAL 5011 STEEL BLUE 065
LIMESTONE 053

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included



1 2 3 5






Duo



Duo

IP44
Class 1

Aluminium
Clear tempered glass diffuser



H 300 mm
W 186 mm
D 132 mm

SOURCE

GU10 PAR16 LED - 2 x 23W max H 80 mm max

REFERENCE

Replace ••• with the colour code

MODEL	GU10 PAR16 LED
1	120 001 •••

COLOURS CODES


Replace ••• with the colour code

DARK GREY 006
SLATE GREY 059
RAL 7044 SILK GREY 105
RAL 9010 PURE WHITE 101
SANDSTONE 054
OLD RUSTIC 046
GOLD PATINA 009

Other colours on request

MOUNTING

Wiring entry point in grey - Fixing kit included



1



H 300 . W 186 . D 132

1







Dallas
















Dallas

IP44
IK10
Class 1

Aluminium
Opal or smoked polycarbonate diffuser




SOURCE

E27 - 75W max H 200 mm

MODELS


H 509 . W 320 . D 506
1



H 416 . W 320 . D 425
2



H 470 . W 320 . D 425
3



H 424 . W 320 . D 425
4



H 438 . W 320
5



H 581 . W 320
6


H 676 . W 320
7


H 1267 . W 320
8


H 2313 . W 320
9


H 2355 . W 977 . D 320
10


H 2437 . W 920 . D 320
11

REFERENCES

Replace ••• with the colour code / replace (•) with the country's electrical plug code

MODELS	DIFFUSERS	E27	E27 + SENSOR	SOCKET	CORNER PLATES	SPARE UPPER DIFFUSERS	SPARE LOWER DIFFUSERS
1	OPAL POLYCARBONATE	119 001 •••			147 003 •••	165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 002 •••				165 024 603	165 073 603
2	OPAL POLYCARBONATE	119 003 •••	119 004 •••		147 006 •••	165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 005 •••	119 006 •••			165 024 603	165 073 603
3	OPAL POLYCARBONATE	119 021 •••			147 001 •••	165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 022 •••				165 024 603	165 073 603
4	OPAL POLYCARBONATE	119 023 •••			147 001 •••	165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 024 •••				165 024 603	165 073 603
5	OPAL POLYCARBONATE	119 025 •••				165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 026 •••				165 024 603	165 073 603
6	OPAL POLYCARBONATE	119 027 •••				165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 028 •••				165 024 603	165 073 603
7	OPAL POLYCARBONATE	119 007 •••		119 008 •••(•)		165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 009 •••		119 010 •••(•)		165 024 603	165 073 603
8	OPAL POLYCARBONATE	119 011 •••	119 013 •••	119 012 •••(•)		165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 014 •••	119 016 •••	119 015 •••(•)		165 024 603	165 073 603
9	OPAL POLYCARBONATE	119 029 •••				165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 030 •••				165 024 603	165 073 603
10	OPAL POLYCARBONATE	119 017 •••				165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 018 •••				165 024 603	165 073 603
11	OPAL POLYCARBONATE	119 019 •••				165 024 602	165 073 602
	SMOKED POLYCARBONATE	119 020 •••				165 024 603	165 073 603

COLOURS CODES

Replace ••• with the colour code

	RAL 9005 JET BLACK 000		RAL 5011 STEEL BLUE 065
	DARK GREY 006		RAL 6009 BRITISH GREEN 019
	SLATE GREY 059		RAL 6009 FIR GREEN 067
	WHITE 001		SANDSTONE 054

Other colours on request

SOCKETS CODES


Except for French socket, replace (•) with country's socket code

SCHUKO SOCKET SK type F

SWISS SOCKET CH type J

MOUNTING

Wiring entry points in grey - Fixing kit included




Trophy



Trophy

IP44
IK10
Class 1

Aluminium
Opal polycarbonate diffuser



H 360 mm
W 150 mm
D 104 mm

SOURCES

E27 - 40W max (model 1) Ø 60 mm - H 120 mm max
E27 - 60W max (model 3) Ø 60 mm - H 200 mm max

MODELS



H 205 . W 150 . D 104
1



H 360 . W 150 . D 104
3



REFERENCES

Replace ••• with the colour code

MODELS	E27	SPARE DIFFUSERS
1	161 001 •••	165 064 602
3	161 003 •••	165 065 602

COLOURS CODES


Replace ••• with the colour code

DARK GREY 006
SLATE GREY 059
RAL 7044 SILK GREY 105
WHITE 001
RAL 3005 WINE RED 066
OLD RUSTIC 046
SANDSTONE 054
LIMESTONE 053

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included







Moon














Moon

IP44
IK08
Class 1


Aluminium
Opal or smoked Ø 200 mm PMMA globe (models 1 to 4)
Opal Ø 300 mm PMMA globe (models 5 to 13)




SOURCES

E27 - 60W max (models 1 to 4) Ø 70 mm - H 150 mm max
E27 - 105W max (models 5 to 13) Ø 80 mm - H 200 mm max

MODELS Ø200 mm


H 410 . W 200 . D 317
1


H 320 . W 200 . D 317
2



H 2056 . W 646
4



H 321 . W 200
3

MODELS Ø300 mm


H 440 . W 300 . D 416
5


H 425 . W 300
6
H 568 . W 300
7
H 614 . W 300
8
H 1248 . W 300
9
H 1289 . W 300
10
H 1918 . W 300
11
H 2456 . W 900 . D 300
12
H 2408 . W 773
13

Moon

REFERENCES

Replace ●●● with the colour code / replace (●) with the country's electrical socket code

Ø 200mm

MODELS	GLOBES	E27	CORNER PLATE	SPARE GLOBES
1	SMOKED PMMA	109 001 ●●●	147 004 ●●●	165 015 607
	OPAL PMMA	109 002 ●●●		165 015 606
2	SMOKED PMMA	109 003 ●●●	147 004 ●●●	165 015 607
	OPAL PMMA	109 004 ●●●		165 015 606
3	SMOKED PMMA	109 007 ●●●		165 015 607
	OPAL PMMA	109 008 ●●●		165 015 606
4	SMOKED PMMA	109 011 ●●●		165 015 607
	OPAL PMMA	109 012 ●●●		165 015 606

Ø 300mm

MODELS	E27	E27 + SENSOR	SOCKET	CORNER PLATE	SPARE OPAL GLOBE
5	109 019 ●●●	109 020 ●●●		147 006 ●●●	165 016 606
6	109 013 ●●●				165 016 606
7	109 014 ●●●				165 016 606
8	109 017 ●●●				165 016 606
9	109 016 ●●●				165 016 606
10	109 021 ●●●	109 022 ●●●	109 023 ●●●(●)		165 016 606
11	109 015 ●●●				165 016 606
12	109 025 ●●●				165 016 606
13	109 024 ●●●				165 016 606

COLOURS CODES

Replace ●●● with the colour code

- RAL 9005 JET BLACK 000
- SLATE GREY 059
- GREEN PATINA 008
- WHITE 001
- RAL 6009 BRITISH GREEN 019
- RAL 6009 FIR GREEN 067
- SANDSTONE 054
- LIMESTONE 053

Other colours on request


SOCKETS CODES

Except for French socket, replace (●) with country's socket code

SCHUKO SOCKET SK type F
SWISS SOCKET CH type J

MOUNTING

Wiring entry points in grey - Fixing kit included



1 2 | 3 6 | 4 11 | 5 | 7 | 8 | 9 | 10 | 12 13


Boréal



Boréal

IP44
IK08
Class 1


Aluminium
Opal or smoked Ø 200 mm PMMA globe



SOURCE

E27 - 60W max Ø 70 mm - H 150 mm max

MODELS





REFERENCES

Replace ••• with the colour code

MODELS	GLOBES	E27	CORNER PLATES	SPARE GLOBES
1	OPAL PMMA	111 001 •••		165 015 606
	SMOKED PMMA	111 002 •••		165 015 607
2	OPAL PMMA	111 003 •••	147 001 •••	165 015 606
	SMOKED PMMA	111 004 •••		165 015 607
3	OPAL PMMA	111 005 •••	147 004 •••	165 015 606
	SMOKED PMMA	111 006 •••		165 015 607
4	OPAL PMMA	111 007 •••	147 004 •••	165 015 606
	SMOKED PMMA	111 008 •••		165 015 607
6	OPAL PMMA	111 009 •••		165 015 606
	SMOKED PMMA	111 010 •••		165 015 607
7	OPAL PMMA	111 011 •••		165 015 606
	SMOKED PMMA	111 012 •••		165 015 607
9	OPAL PMMA	111 015 •••		165 015 606
	SMOKED PMMA	111 016 •••		165 015 607


COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
METAL GREY 023
RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
WHITE 001
OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009
Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included










Phoros



Phoros

IP44
IK09
Class 1

Aluminium
Clear polycarbonate diffuser



H 398 mm
W 190 mm
D 113 mm

SOURCE

E27 - 75W max Ø 70 mm - H 200 mm max

REFERENCES

Replace ••• with the colour code

MODEL	E27	SPARE DIFFUSER
1	145 001 •••	165 049 601

COLOURS CODES

Replace ••• with the colour code


RAL 9005 JET BLACK 000
WHITE 101
LIMESTONE 053

OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009

Other colours on request

MOUNTING

Wiring entry point in grey - Fixing kit included



1




H 398 . W 190 . D 113

1






Louis Philippe 1



Louis Philippe 1

IP44
Class 1

Aluminium or tinted lacquered brass or raw zinc
Clear glass diffuser



H 366 mm
W 222 mm
D 132 mm

SOURCE

E27 - 75W max Ø 60 mm - H 200 mm max

REFERENCES

Replace ••• with the colour code or the material code

MODEL	E27	SPARE DIFFUSER
1	134 001 •••	165 040 609

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
SLATE GREY 059
WHITE 001

SANDSTONE 054
OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009


Other colours on request

MATERIAL CODES

TINTED LACQUERED BRASS 070
RAW ZINC 092

MOUNTING

Wiring entry point in grey - Fixing kit included



1



H 366 . W 222 . D 132

1








Louis Philippe 2



Louis Philippe 2

IP44
Class 1

Aluminium or tinted lacquered brass or raw zinc
Clear glass diffuser



H 427 mm
W 279 mm
D 188 mm

SOURCES

E27 - 2 x 105W max Ø 40 mm - H 130 mm max
G9 - 2 x 75W max

REFERENCES

Replace ••• with the colour code or the material code

MODEL	E27	G9	SPARE SET OF CLEAR GLASS	SPARE FROSTED GLASS BULB COVER
1	135 001 •••	135 002 •••	165 041 609	165 076 610

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
SLATE GREY 059
WHITE 001
SANDSTONE 054
OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009


Other colours on request

MATERIAL CODES

TINTED LACQUERED BRASS 070
RAW ZINC 092

MOUNTING

Wiring entry point in grey - Fixing kit included



1



H 427 . W 279 . D 188

1









Louis Philippe 7


Design by Stéphane Joyeux



Louis Philippe 7

IP44
Class 2

Aluminium
Clear glass diffuser



H 373 mm
W 197 mm
D 125 mm

SOURCES

E27 - 23W max Ø 40 mm - H 160 mm max
G9 - 40W max

REFERENCES

Replace ••• with the colour code

MODEL	E27	G9	SPARE SET OF CLEAR GLASS	SPARE FROSTED GLASS BULB COVER
1	136 001 •••	136 002 •••	165 042 609	165 076 610

COLOURS CODES


Replace ••• with the colour code

- RAL 9005 JET BLACK 000
- SLATE GREY 059
- WHITE 001
- SANDSTONE 054
- OLD RUSTIC 046
- GREEN PATINA 008
- GOLD PATINA 009

Other colours on request

MOUNTING

Wiring entry point in grey - Fixing kit included



1



H 373 . W 197 . D 125

1









Louvre














Louvre


IP44
IP65 (lantern - on request except model 4)
Class 1

Aluminium or patinated lacquered copper
Clear glass diffuser
Opal glass diffuser on request




SOURCES


LED 13W - 3000K warm white - triac dimmable (except model 4)
E27 - 105W max H 200 mm max (except model 4)
Ø 60 mm - H 200 mm max (model 4)


Models **1** to **11** except **4**


LED 13W
Real light output - 433 lm
IRC > 80


Model **4**


LED 13W
Real light output - 447 lm
IRC > 80


Models **1, 2, 6**

E27 (2450 lm)
Real light output - 1491 lm


Models **3, 5** and **7** to **11**

E27 (2450 lm)
Real light output - 1659 lm


Model **4**

E27 (1520 lm)
Real light output - 879 lm

MODELS


H 819 . W 288
1


H 774 . W 288 . D 408
2


H 436 . W 287 . D 162
4



H 671 . W 288 . D 361
5



H 583 . W 288 . D 361
6



H 724 . W 288
3


H 854 . W 288
7


H 1 404 . W 288
8


H 2 082 - 2 522 . W 288
9


H 2 659 . W 764
10


H 2 824 . W 764
11



REFERENCES

Replace ••• with the colour code or the material code

MODELS	E27	LED 13W 3000K warm white	CORNER PLATES	SPARE DIFFUSERS	
1	133 001 •••	133 002 •••		165 038 609	
2	133 003 •••	133 004 •••	147 001 •••	165 038 609	
3	133 005 •••	133 006 •••		E27	165 038 609
				LED	165 039 609
4	133 007 •••	133 008 •••		165 037 609	
5	133 009 •••	133 010 •••	147 004 •••	E27	165 038 609
				LED	165 039 609
6	133 011 •••	133 012 •••	147 004 •••	165 038 609	
7	133 013 •••	133 014 •••		E27	165 038 609
				LED	165 039 609
8	133 015 •••	133 016 •••		E27	165 038 609
				LED	165 039 609
9	133 017 •••	133 018 •••		E27	165 038 609
				LED	165 039 609
10	133 019 •••	133 020 •••		E27	165 038 609
				LED	165 039 609
11	133 021 •••	133 022 •••		E27	165 038 609
				LED	165 039 609

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
GREEN PATINA 008
GOLD PATINA 009


Other colours on request

MATERIAL CODE


PATINATED LACQUERED COPPER 080
With aluminium base Jet black 000 (RAL 9005)

MOUNTING

Wiring entry points in grey - Fixing kit included -Anchor bolts on request (models 10 and 11) p. 318




Chenonceau










IP44
Class 1

Aluminium
Clear glass diffuser

SOURCE

E27 - 75W max H 160 mm max



H 292 mm
W 165 mm

MODELS



H627. W165
1



H384. W165. D236
2



H518. W165. D317
3



H354. W165. D306
4



H410. W165. D306
5



H657. W165
6



H531. W165
7



H388. W165
8



REFERENCES

Replace ••• with the colour code

MODELS	E27	CORNER PLATE	SPARE DIFFUSER
1	117 001 •••		165 022 609
2	117 002 •••	147 002 •••	165 022 609
3	117 003 •••	147 002 •••	165 022 609
4	117 004 •••	147 002 •••	165 022 609
5	117 005 •••	147 002 •••	165 022 609
6	117 006 •••		165 022 609
7	117 007 •••		165 022 609
8	117 008 •••		165 022 609

COLOURS CODES


Replace ••• with the colour code

- RAL 9005 JET BLACK 000
- SLATE GREY 059
- WHITE 001
- RAL 6009 BRITISH GREEN 019
- RAL 6009 FIR GREEN 067
- SANDSTONE 054
- OLD RUSTIC 046
- GREEN PATINA 008
- GOLD PATINA 009

Other colours on request


MOUNTING

Wiring entry points in grey - Fixing kit included



1 | 2 3 | 4 5 | 6 8 | 7

Vieille France



Vieille France

IP44
Class 1

Aluminium or tinted lacquered brass
Raw zinc (model 2)
Clear glass diffuser



H 365 mm
W 235 mm


SOURCES

E27 - 105W max (except model 2) H 200 mm max
E27 - 75W max (model 2) Ø 66 mm - H 120 mm max

MODELS



H 685 . W 235 . D 381
1




H 358 . W 238 . D 149
2



H 556 . W 235 . D 382
4



H 667 . W 235
5



H 2018 . W 235
3



REFERENCES

Replace ••• with the colour code or the material code

MODELS	E27	CORNER PLATE	SPARE DIFFUSERS
1	163 001 •••	147 001 •••	165 068 609
2	163 002 •••		165 067 609
3	163 003 •••		165 068 609
4	163 004 •••	147 001 •••	165 068 609
5	163 005 •••		165 068 609

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
SANDSTONE 054
OLD RUSTIC 046
GREEN PATINA 008
Other colours on request


MATERIAL CODES

Replace ••• with the material code

TINTED LACQUERED BRASS 070 Aluminium base Jet black 000 (RAL 9005)
RAW ZINC 092 (model 2)

MOUNTING

Wiring entry points in grey - Fixing kit included










Place des Vosges 1
Tradition



Place des Vosges 1
Tradition

Place des Vosges 1
Évolution

Place des Vosges 2

Place des Vosges 3














Place des Vosges 1 Tradition


IP44
Class 1

Aluminium or tinted lacquered brass
Clear or frosted glass diffuser




SOURCE

E27 - 105W max H 160 mm max (except model 2)
Ø 63 mm - H 160 mm max (model 2)




Models **1, 4, 5**

E27 (2450 lm)
Real light output - 1455 lm



Models **3** and **6** to **13**

E27 (2450 lm)
Real light output - 1098 lm



Model **2**

E27 (1520 lm)
Real light output - 921 lm

MODELS



H664.W214
1



H360.W214.D125
2



H562.W214.D324
3



H425.W214.D323
4




H685.W214.D371
5



H473.W214
6




H616.W214
7




H1172.W214
10



H1296.W214
11



H1967.W230
12



H1977-2418.W640.D263
13



Place des Vosges 1 Tradition

REFERENCES

Replace ••• with the colour code or the material code

MODELS	DIFFUSERS	E27	CORNER PLATES	SPARE DIFFUSERS
1	CLEAR GLASS	151 001 •••		165 058 609
	FROSTED GLASS	151 002 •••		165 058 610
2	CLEAR GLASS	151 003 •••		165 057 609
	FROSTED GLASS	151 004 •••		165 057 610
3	CLEAR GLASS	151 005 •••	147 004 •••	165 058 609
	FROSTED GLASS	151 006 •••		165 058 610
4	CLEAR GLASS	151 007 •••	147 004 •••	165 058 609
	FROSTED GLASS	151 008 •••		165 058 610
5	CLEAR GLASS	151 009 •••	147 001 •••	165 058 609
	FROSTED GLASS	151 010 •••		165 058 610
6	CLEAR GLASS	151 011 •••		165 058 609
	FROSTED GLASS	151 012 •••		165 058 610
7	CLEAR GLASS	151 013 •••		165 058 609
	FROSTED GLASS	151 014 •••		165 058 610
10	CLEAR GLASS	151 015 •••		165 058 609
	FROSTED GLASS	151 016 •••		165 058 610
11	CLEAR GLASS	151 017 •••		165 058 609
	FROSTED GLASS	151 018 •••		165 058 610
12	CLEAR GLASS	151 019 •••		165 058 609
	FROSTED GLASS	151 020 •••		165 058 610
13	CLEAR GLASS	151 021 •••		165 058 609
	FROSTED GLASS	151 022 •••		165 058 610

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK	000
SLATE GREY	059
WHITE	001
SANDSTONE	054
OLD RUSTIC	046
GOLD PATINA	009
RAL 6009 BRITISH GREEN	019
RAL 6009 FIR GREEN	067
GREEN PATINA	008


Other colours on request

MATERIAL CODE


TINTED LACQUERED BRASS 070
With aluminium base Jet black 000 (RAL 9005)

MOUNTING

Wiring entry points in grey - Fixing kit included



Place des Vosges 1
Évolution



Place des Vosges 1
Tradition

Place des Vosges 1
Évolution

Place des Vosges 2

Place des Vosges 3












Place des Vosges 1 Évolution


IP65 (lantern)
Class 1

Aluminium
Clear or opal PMMA diffuser




SOURCES

E27 - 60W max (except model 2) H 160 mm max
E27 - 23W max (model 2) Ø 66 mm - H 150 mm max
GU10 PAR16 LED - 9W max (model 2) H 60 mm max



Models **1** to **13** except **2**


E27 (2450 lm)
Real light output - 1348 lm




Model **2**

E27 (1520 lm)
Real light output - 874 lm

MODELS



H 728 . W 220 **1**
H 340 . W 216 . D 132 **2**
H 574 . W 220 . D 327 **3**
H 488 . W 220 . D 327 **4**
H 680 . W 220 . D 374 **5**



H 484 . W 220 **6**
H 627 . W 220 **7**
H 1 349 . W 220 **9**
H 1 183 . W 220 **10**
H 1 307 . W 220 **11**
H 1 978 . W 220 **12**
H 1 989 - 2 430 . W 647 . D 263 **13**

Place des Vosges 1 Évolution

REFERENCES

Replace ••• with the colour code

MODELS	DIFFUSERS	E27	GU10 PAR16 LED	E27 + SENSOR	CORNER PLATES	SPARE DIFFUSERS
1	CLEAR GLASS	150 001 •••				165 056 605
	OPAL PMMA	150 002 •••				165 056 606
2	CLEAR GLASS	150 003 •••	150 005 •••	150 004 •••		165 055 605 165 074 605
	OPAL PMMA	150 006 •••	150 008 •••	150 007 •••		165 055 606 165 074 606
3	CLEAR GLASS	150 009 •••			147 004 •••	165 056 605
	OPAL PMMA	150 010 •••				165 056 606
4	CLEAR GLASS	150 011 •••		150 012 •••	147 004 •••	165 056 605
	OPAL PMMA	150 013 •••		150 014 •••		165 056 606
5	CLEAR GLASS	150 015 •••		150 016 •••	147 001 •••	165 056 605
	OPAL PMMA	150 017 •••		150 018 •••		165 056 606
6	CLEAR GLASS	150 019 •••				165 056 605
	OPAL PMMA	150 020 •••				165 056 606
7	CLEAR GLASS	150 021 •••				165 056 605
	OPAL PMMA	150 022 •••				165 056 606
9	CLEAR GLASS	150 023 •••		150 024 •••		165 056 605
	OPAL PMMA	150 025 •••		150 026 •••		165 056 606
10	CLEAR GLASS	150 027 •••				165 056 605
	OPAL PMMA	150 028 •••				165 056 606
11	CLEAR GLASS	150 029 •••				165 056 605
	OPAL PMMA	150 030 •••				165 056 606
12	CLEAR GLASS	150 031 •••				165 056 605
	OPAL PMMA	150 032 •••				165 056 606
13	CLEAR GLASS	150 033 •••				165 056 605
	OPAL PMMA	150 034 •••				165 056 606

COLOURS CODES


Replace ••• with the colour code

RAL 9005 JET BLACK 000
SLATE GREY 059
WHITE 001
SANDSTONE 054
OLD RUSTIC 046
GOLD PATINA 009
RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
GREEN PATINA 008

Other colours on request


MOUNTING

Wiring entry points in grey - Fixing kit included



1 | 2 | 3 4 | 5 | 6 10 | 7 | 9 | 11 | 12 | 13

Place des Vosges 2



Place des Vosges 1
Tradition

Place des Vosges 1
Évolution

Place des Vosges 2

Place des Vosges 3












Place des Vosges 2

IP44
Class 1

Aluminium or tinted lacquered brass
Clear glass diffuser

SOURCE

E27 - 105W max H200 mm max (except model 3)
Ø66 mm - H200 mm max (model 3)



MODELS


H789.W240
1


H742.W240.D384
2



H436.W240.D131
3



H640.W240.D337
4



H549.W240.D337
5


H550.W240
6


H693.W240
7


H2044.W240
8


H2332-2773.W263.D626
9


H2617.W797
11

Place des Vosges 2

REFERENCES

Replace ••• with the colour code or the material code

MODELS	E27	CORNER PLATES	SPARE DIFFUSERS
1	148 001 •••		165 052 609
2	148 002 •••	147 001 •••	165 052 609
3	148 003 •••		165 051 609
4	148 004 •••	147 004 •••	165 052 609
5	148 005 •••	147 004 •••	165 052 609
6	148 006 •••		165 052 609
7	148 007 •••		165 052 609
8	148 008 •••		165 052 609
9	148 009 •••		165 052 609
11	148 010 •••		165 052 609

COLOURS CODES

Replace ••• with the colour code


RAL 9005 JET BLACK 000
WHITE 001
OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009
Other colours on request

MATERIAL CODE

TINTED LACQUERED BRASS 070
With aluminium base Jet black 000 (RAL 9005)

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (model 11) p. 318



Place des Vosges 3




Place des Vosges 1
Tradition



Place des Vosges 1
Évolution



Place des Vosges 2



Place des Vosges 3









Place des Vosges 3


IP44
Class 1

Aluminium or tinted lacquered brass
Clear glass diffuser

SOURCE

E27 - 105W max

H 220 mm max (except model 2)
Ø 66 mm - H 200 mm max (model 2)



H 454 mm
W 240 mm

MODELS



H 1 060 . W 282
1



H 536 . W 282 . D 152
2



H 1 009 . W 282 . D 563
3



H 740 . W 282 . D 405
4



H 874 . W 282
5

H 981 . W 282
9

H 2 110 - 2 650 . W 282
6

H 2 775 . W 826 . D 300
7

H 2 709 . W 300
8

H 3 300 . W 300 . D 645
10

Place des Vosges 3

REFERENCES

Replace ••• with the colour code or the material code

MODELS	E27	CORNER PLATES	SPARE DIFFUSERS
1	149 001 •••		165 054 609
2	149 002 •••		165 053 609
3	149 003 •••	147 003 •••	165 054 609
4	149 004 •••	147 001 •••	165 054 609
5	149 005 •••		165 054 609
6	149 006 •••		165 054 609
7	149 007 •••		165 054 609
8	149 008 •••		165 054 609
9	149 009 •••		165 054 609
10	149 010 •••		165 054 609

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
WHITE 001
OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009


Other colours on request

MATERIAL CODE

TINTED LACQUERED BRASS 070
With aluminium base Jet black 000 (RAL 9005)


MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (models 7, 8, 10) p. 318



1 2 3 4 5 6 7 8 10 9

Avenue 2



Avenue 2 Avenue 3 Avenue 4










Avenue 2

IP44
Class 1


Aluminium or tinted lacquered brass
Clear glass or opal PMMA diffuser



H 454 mm
W 240 mm


SOURCES

LED 13W - 3000K warm white - triac dimmable
E27 - 105W max H 200 mm max (except model 3)
Ø 66 mm - H 200 mm max (model 3)




Models **1** to **11** except **3**

LED 13W - IP65
Real light output / opal - 384 lm
Real light output / clear - 413 lm
IRC > 80




Model **3**

LED 13W - IP65
Real light output - 477 lm
IRC > 80




Models **1, 2, 4, 8**

E27 (2450 lm)
Real light output - 653 lm



Models **5, 6, 7, 9, 11**

E27 (2450 lm)
Real light output - 1463 lm



Model **3**

E27 (1520 lm)
Real light output - 771 lm

MODELS



H790 . W240
1



H743 . W240 . D384
2



H436 . W240 . D131
3



H550 . W240 . D337
4




H641 . W240 . D337
7




H552 . W240
5




H695 . W240
6



H2332 - 2773 . W263 . D626
8



H2044 . W240
9



H2619 . W797
11

REFERENCES

Replace ••• with the colour code or the material code

MODELS	DIFFUSERS	E27	LED 13W 3000K warm white	CORNER PLATES	SPARE DIFFUSERS
1	CLEAR GLASS	102 001 •••	102 002 •••		165 003 609
	OPAL PMMA		102 003 •••		165 003 606
2	CLEAR GLASS	102 004 •••	102 005 •••	147 001 •••	165 003 609
	OPAL PMMA		102 006 •••		165 003 606
3	CLEAR GLASS	102 007 •••	102 008 •••		165 002 609
4	CLEAR GLASS	102 010 •••	102 011 •••	147 004 •••	165 003 609
	OPAL PMMA		102 012 •••		165 003 606
5	CLEAR GLASS	102 013 •••	102 014 •••		165 003 609
	OPAL PMMA		102 015 •••		165 003 606
6	CLEAR GLASS	102 016 •••	102 017 •••		165 003 609
	OPAL PMMA		102 018 •••		165 003 606
7	CLEAR GLASS	102 019 •••	102 020 •••	147 004 •••	165 003 609
	OPAL PMMA		102 021 •••		165 003 606
8	CLEAR GLASS	102 022 •••	102 023 •••		165 003 609
	OPAL PMMA		102 024 •••		165 003 606
9	CLEAR GLASS	102 025 •••	102 026 •••		165 003 609
	OPAL PMMA		102 027 •••		165 003 606
11	CLEAR GLASS	102 028 •••	102 029 •••		165 003 609
	OPAL PMMA		102 030 •••		165 003 606

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
GREEN PATINA 008
GOLD PATINA 009


Other colours on request

MATERIAL CODE


TINTED LACQUERED BRASS 070
With aluminium base Jet black 000 (RAL 9005)

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (model 11) p. 318



Avenue 3



Avenue 2 Avenue 3 Avenue 4












Avenue 3


IP44
Class 1

Aluminium
Clear glass or opal PMMA diffuser



SOURCES


LED 35W - 3000K warm white
LED 35W - 4000K neutral white
E27 - 105W max H 220 mm max (except model 2)
Ø 66 mm - H 200 mm max (model 2)


Models **1** to **12** except **2**


LED 35W - IP65
Real light output / opal - 1727 lm
Real light output / clear - 1444 lm
IRC > 80


Model **2**

E27 (2450 lm)
Real light output - 1304 lm


Models **4** to **8** and **10** to **12**

E27 (2450 lm)
Real light output - 1603 lm


Models **1, 3, 9**

E27 (2450 lm)
Real light output - 506 lm

MODELS



H 1060 . W 282
1

H 536 . W 282 . D 152
2

H 1009 . W 282 . D 563
3

H 740 . W 282 . D 405
4



H 883 . W 282 . D 685
12


H 874 . W 282
5


H 981 . W 282
6


H 2709 . W 300
7

H 2775 . W 826 . D 300
8


H 3300 . W 300 . D 645
9


H 2619 . W 282
10


H 3419 . W 282
11

REFERENCES

Replace ●●● with the colour code

MODELS	DIFFUSERS	E27	LED 35W - 3000K warm white	LED 35W - 4000K neutral white	CORNER PLATES	SPARE DIFFUSERS
1	CLEAR GLASS	103 001 ●●●	103 002 ●●●	103 003 ●●●		165 005 609
	OPAL PMMA		103 004 ●●●	103 005 ●●●		165 005 606
2	CLEAR GLASS	103 006 ●●●				165 004 609
3	CLEAR GLASS	103 007 ●●●	103 008 ●●●	103 009 ●●●	147 003 ●●●	165 005 609
	OPAL PMMA		103 010 ●●●	103 011 ●●●		165 005 606
4	CLEAR GLASS	103 012 ●●●	103 013 ●●●	103 014 ●●●	147 001 ●●●	165 005 609
	OPAL PMMA		103 015 ●●●	103 016 ●●●		165 005 606
5	CLEAR GLASS	103 017 ●●●	103 018 ●●●	103 019 ●●●		165 005 609
	OPAL PMMA		103 020 ●●●	103 021 ●●●		165 005 606
6	CLEAR GLASS	103 022 ●●●	103 023 ●●●	103 024 ●●●		165 005 609
	OPAL PMMA		103 025 ●●●	103 026 ●●●		165 005 606
12	CLEAR GLASS	103 052 ●●●	103 053 ●●●	103 054 ●●●		165 005 609
	OPAL PMMA		103 055 ●●●	103 056 ●●●		165 005 606

COLOURS CODES

Replace ●●● with the colour code

RAL 9005 JET BLACK 000
RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
GREEN PATINA 008
GOLD PATINA 009
Other colours on request

REFERENCES

Replace ●●● with the colour code

MODELS	DIFFUSERS	E27	LED 35W - 3000K warm white	LED 35W - 4000K neutral white	SPARE DIFFUSERS
10	CLEAR GLASS	103 042 ●●●	103 043 ●●●	103 044 ●●●	165 005 609
	OPAL PMMA		103 045 ●●●	103 046 ●●●	165 005 606
11	CLEAR GLASS	103 047 ●●●	103 048 ●●●	103 049 ●●●	165 005 609
	OPAL PMMA		103 050 ●●●	103 051 ●●●	165 005 606

COLOURS CODES

Replace ●●● with the colour code

RAL 9005 JET BLACK 000
RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
Other colours on request

REFERENCES

Replace ●●● with the colour code

MODELS	DIFFUSERS	E27	LED 35W - 3000K warm white	LED 35W - 4000K neutral white	SPARE DIFFUSERS
7	CLEAR GLASS	103 027 ●●●	103 028 ●●●	103 029 ●●●	165 005 609
	OPAL PMMA		103 030 ●●●	103 031 ●●●	165 005 606
8	CLEAR GLASS	103 032 ●●●	103 033 ●●●	103 034 ●●●	165 005 609
	OPAL PMMA		103 035 ●●●	103 036 ●●●	165 005 606
9	CLEAR GLASS	103 037 ●●●	103 038 ●●●	103 039 ●●●	165 005 609
	OPAL PMMA		103 040 ●●●	103 041 ●●●	165 005 606


COLOURS CODES

Replace ●●● with the colour code


RAL 9005 JET BLACK 000
RAL 6009 FIR GREEN 067
GREEN PATINA 008
GOLD PATINA 009
Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included (except model 12) - Anchor bolts on request (models 7 to 11) p. 318





Avenue 4



Avenue 2 Avenue 3 Avenue 4







© Regent Hôtel Porto Montelegre

Avenue 4


IP65 - LED (lantern except model 2 IP44)
IP44 - E27 (IP65 version on request)
Class 1

Aluminium
Opal or clear structured PMMA diffusers for IP65 lanterns
Opal or clear PMMA diffusers for IP44 lanterns




SOURCES


LED 35W - 3000K warm white
LED 35W - 4000K neutral white
LED 70W - 3000K warm white
LED 70W - 4000K neutral white
E27 - 105W max H 280 mm max (except model 2)
Ø 80 mm - H 160 mm max (model 2)
Asymmetric and dimmable LED module on request


Models **1** to **9** except **2**

LED 35W - IP65
Real light output / opal - 2693 lm
Real light output / clear - 2676 lm
IRC > 80


Model **2**

LED 35W - IP65
Real light output / opal - 2596 lm
Real light output / clear - 2229 lm
IRC > 80


Models **1** to **9** except **2**

LED 70W - IP65
Real light output / opal - 5868 lm
Real light output / clear - 5791 lm
IRC > 80

MODELS


H 1396 . W 364
1



H 657 . W 365 . D 188
2



H 1093 . W 364 . D 893
3


H 1204 . W 364 . D 734
4


H 1397 . W 364 . D 842
5


H 1004 . W 364
6


H 4588 . W 400
8


H 4321 . W 1562 . D 400
9



REFERENCES

Replace ●●● with the colour code

MODELS	DIFFUSERS	E27	LED 35W 3000K warm white	LED 35W 4000K neutral white	SPARE DIFFUSERS
1	CLEAR PMMA	104 001 ●●●			165 007 605
	OPAL PMMA	104 018 ●●●			165 007 606
2	CLEAR PMMA	104 035 ●●●	104 249 ●●●	104 250 ●●●	165 006 605
	OPAL PMMA	104 040 ●●●	104 251 ●●●	104 252 ●●●	165 006 606
3	CLEAR PMMA	104 045 ●●●			165 008 605
	OPAL PMMA	104 062 ●●●			165 008 606
4	CLEAR PMMA	104 079 ●●●			165 008 605
	OPAL PMMA	104 096 ●●●			165 008 606
5	CLEAR PMMA	104 113 ●●●			165 007 605
	OPAL PMMA	104 130 ●●●			165 007 606
6	CLEAR PMMA	104 215 ●●●			165 008 605
	OPAL PMMA	104 232 ●●●			165 008 606
8	CLEAR PMMA	104 147 ●●●			165 008 605
	OPAL PMMA	104 164 ●●●			165 008 606
9	CLEAR PMMA	104 181 ●●●			165 008 605
	OPAL PMMA	104 198 ●●●			165 008 606

MODELS	DIFFUSERS	LED 35W 3000K warm white	LED 35W 4000K neutral white	LED 70W 3000K warm white	LED 70W 4000K neutral white	SPARE DIFFUSERS
1	CLEAR STRUCTURED PMMA	104 010 ●●●	104 012 ●●●	104 011 ●●●	104 013 ●●●	165 009 608
	OPAL PMMA	104 027 ●●●	104 029 ●●●	104 028 ●●●	104 030 ●●●	165 009 606
3	CLEAR STRUCTURED PMMA	104 054 ●●●	104 056 ●●●	104 055 ●●●	104 057 ●●●	165 010 608
	OPAL PMMA	104 071 ●●●	104 073 ●●●	104 072 ●●●	104 074 ●●●	165 010 606
4	CLEAR STRUCTURED PMMA	104 088 ●●●	104 090 ●●●	104 089 ●●●	104 091 ●●●	165 010 608
	OPAL PMMA	104 105 ●●●	104 107 ●●●	104 106 ●●●	104 108 ●●●	165 010 606
5	CLEAR STRUCTURED PMMA	104 122 ●●●	104 124 ●●●	104 123 ●●●	104 125 ●●●	165 009 608
	OPAL PMMA	104 139 ●●●	104 141 ●●●	104 140 ●●●	104 142 ●●●	165 009 606
6	CLEAR STRUCTURED PMMA	104 224 ●●●	104 226 ●●●	104 225 ●●●	104 227 ●●●	165 010 608
	OPAL PMMA	104 241 ●●●	104 243 ●●●	104 242 ●●●	104 244 ●●●	165 010 606
8	CLEAR STRUCTURED PMMA	104 156 ●●●	104 158 ●●●	104 157 ●●●	104 159 ●●●	165 010 608
	OPAL PMMA	104 173 ●●●	104 175 ●●●	104 174 ●●●	104 176 ●●●	165 010 606
9	CLEAR STRUCTURED PMMA	104 190 ●●●	104 192 ●●●	104 191 ●●●	104 193 ●●●	165 010 608
	OPAL PMMA	104 207 ●●●	104 209 ●●●	104 208 ●●●	104 210 ●●●	165 010 606

COLOURS CODES


Replace ●●● with the colour code


RAL 9005 JET BLACK 000
GREEN PATINA 008
GOLD PATINA 009

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included (only model 2) - Anchor bolts on request (models 6, 8, 9) p. 318




Monaco



Monaco

IP44
Class 1

Aluminium
Clear glass diffuser



H 308 mm
W 196 mm

SOURCE

E27 - 60W max H 180 mm max

MODELS



H 644 . W 196
1



H 402 . W 196 . D 252
2



H 371 . W 196 . D 322
3



H 427 . W 196 . D 322
4



H 527 . W 196 . D 332
5



H 675 . W 196
6



H 549 . W 196
7



H 406 . W 196
8



REFERENCES

Replace ••• with the colour code

MODELS	E27	CORNER PLATE	SPARE DIFFUSER
1	138 001 •••		165 044 609
2	138 002 •••	147 002 •••	165 044 609
3	138 003 •••	147 002 •••	165 044 609
4	138 004 •••	147 002 •••	165 044 609
5	138 005 •••	147 002 •••	165 044 609
6	138 006 •••		165 044 609
7	138 007 •••		165 044 609
8	138 008 •••		165 044 609


COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
WHITE 001
OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009
Other colours on request


MOUNTING

Wiring entry points in grey - Fixing kit included





Victoria










Victoria

IP44
Class 1

Aluminium or tinted lacquered brass
Clear polycarbonate diffuser
Opal polycarbonate diffuser on request

SOURCES

E27 - 105W max (except model 1) H 200 mm max
E27 - 75W max (model 1) Ø 63 mm - H 120 mm max



H 406 mm
W 275 mm

MODELS



H 420 . W 275 . D 132
1



H 741 . W 275
2



H 694 . W 275 . D 402
3



H 592 . W 275 . D 354
4




H 501 . W 275 . D 354
5



H 502 . W 275
7




H 645 . W 275
6




H 1201 . W 275
10



H 1325 . W 275
11



H 1996 . W 275
12



H 2007 - 2447 . W 702 . D 275
13



Victoria

REFERENCES

Replace ••• with the colour code or the material code

MODELS	E27	CORNER PLATES	SPARE DIFFUSERS
1	164 001 •••		165 069 601
2	164 002 •••		165 070 601
3	164 003 •••	147 001 •••	165 070 601
4	164 004 •••	147 004 •••	165 070 601
5	164 005 •••	147 004 •••	165 070 601
6	164 006 •••		165 070 601
7	164 007 •••		165 070 601
10	164 008 •••		165 070 601
11	164 009 •••		165 070 601
12	164 010 •••		165 070 601
13	164 011 •••		165 070 601

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
WHITE 001
OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009


Other colours on request

MATERIAL CODE

TINTED LACQUERED BRASS 070
With aluminium base Jet black colour 000 (RAL 9005)


MOUNTING

Wiring entry points in grey - Fixing kit included



1 2 3 4 5 6 7 10 11 12 13

Louis XIII












Louis XIII


IP44
Class 1


Aluminium or tinted lacquered brass
Clear glass diffuser
Opal PMMA diffuser on request





SOURCES


LED 13W - 3000K warm white - triac dimmable (except model 2)
E27 - 105W max H 220 mm max (except model 2)
Ø 66 mm - H 200 mm max (model 2)


Models **1** to **9** except **2**
LED 13W - IP65
Real light output - 361 lm
IRC > 80


Model **2**
LED 13W - IP65
Real light output - 473 lm
IRC > 80


Models **1** and **3**
E27 (2450 lm)
Real light output - 1220 lm


Models **4** to **9**
E27 (2450 lm)
Real light output - 987 lm


Model **2**
E27 (1520 lm)
Real light output - 729 lm

MODELS


H972.W344
1



H513.W341.D156
2


H919.W344.D570
3



H653.W344.D436
4


H788.W344
5


H895.W344
9


H2123-2563.W344
8


H2623.W344
6


H2689.W890.D344
7



Louis XIII

REFERENCES

Replace ••• with the colour code or the material code

MODELS	E27	LED 13W 3000K warm white	CORNER PLATES	SPARE DIFFUSERS
1	130 001 •••	130 002 •••		165 034 609
2	130 003 •••	130 004 •••		165 033 609
3	130 005 •••	130 006 •••	147 003 •••	165 034 609
4	130 007 •••	130 008 •••	147 001 •••	165 034 609
5	130 009 •••	130 010 •••		165 034 609
6	130 011 •••	130 012 •••		165 034 609
7	130 013 •••	130 014 •••		165 034 609
8	130 015 •••	130 016 •••		165 034 609
9	130 017 •••	130 018 •••		165 034 609

COLOURS CODES

Replace ••• with the colour code


RAL 9005 JET BLACK 000
OLD RUSTIC 046
GREEN PATINA 008
GOLD PATINA 009
Other colours on request

MATERIAL CODE


TINTED LACQUERED BRASS 070
With aluminium base Jet black colour 000 (RAL 9005)

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (models 6, 7) p. 318



Citadelle















Citadelle

IP66 (lantern)
Class 1


Aluminium or patinated copper (unvarnished)
Opal PMMA diffuser

SOURCES


LED 35W - 3000K warm white
LED 35W - 4000K neutral white
LED 70W - 3000K warm white
LED 70W - 4000K neutral white
E27 - 105W max H 280 mm max



LED 35W
Real light output - 2027 lm
IRC > 80



LED 70W
Real light output - 4482 lm
IRC > 80



MODELS



H 1468 . W 509
1




H 1294 . W 509 . D 805
2




H 1397 . W 509 . D 914
3



H 1083 . W 509
4



H 4178 . W 509
5



H 4411 . W 1703 . D 509
7



REFERENCES

Replace ••• with the colour code or the material code

Without crown

MODELS	E27	LED 35W 3000K warm white	LED 35W 4000K neutral white	LED 70W 3000K warm white	LED 70W 4000K neutral white	SPARE DIFFUSERS
1	116 001 •••	116 003 •••	116 005 •••	116 007 •••	116 009 •••	165 020 606
2	116 011 •••	116 013 •••	116 015 •••	116 017 •••	116 019 •••	165 021 606
3	116 021 •••	116 023 •••	116 025 •••	116 027 •••	116 029 •••	165 020 606
4	116 051 •••	116 053 •••	116 055 •••	116 057 •••	116 059 •••	165 021 606
5	116 031 •••	116 033 •••	116 035 •••	116 037 •••	116 039 •••	165 021 606
7	116 041 •••	116 043 •••	116 045 •••	116 047 •••	116 049 •••	165 021 606

With crown

MODELS	E27	LED 35W 3000K warm white	LED 35W 4000K neutral white	LED 70W 3000K warm white	LED 70W 4000K neutral white	SPARE DIFFUSERS
1	116 002 •••	116 004 •••	116 006 •••	116 008 •••	116 010 •••	165 020 606
2	116 012 •••	116 014 •••	116 016 •••	116 018 •••	116 020 •••	165 021 606
3	116 022 •••	116 024 •••	116 026 •••	116 028 •••	116 030 •••	165 020 606
4	116 052 •••	116 054 •••	116 056 •••	116 058 •••	116 060 •••	165 021 606
5	116 032 •••	116 034 •••	116 036 •••	116 038 •••	116 040 •••	165 021 606
7	116 042 •••	116 044 •••	116 046 •••	116 048 •••	116 050 •••	165 021 606

COLOURS CODES

Replace ••• with the colour code

RAL 9005 JET BLACK 000
GREEN PATINA 008
GOLD PATINA 009


Other colours on request

MATERIAL CODE

PATINATED COPPER 083
unvarnished
With aluminium base Jet black colour 000 (RAL 9005)

MOUNTING

Wiring entry points in grey - Fixing kit included - Acnhor bolts on request (models 4, 5, 7) p. 318



Technical Specifications

Size of lanterns
4 sided p. 308
6 sided p. 310

Bornéo: electrical sockets / motion and photosensor
p. 312

Bollards with IP55 socket
p. 314

Wall lights with motion and photosensor
p. 316

Bollards with motion and photosensor
p. 317

Accessories
p. 318

Ingress Protection (IP) ratings
p. 320


Glossary
p. 321

Information
p. 321

Colour chart
p. 323

Size of lanterns

4 sided lanterns




Chenonceau
p. 232

Place des Vosges 1
Tradition
p. 242

Place des Vosges 1
Évolution
p. 248

Vieille France
p. 238

Place des Vosges 2
p. 254



Avenue 2
p. 266


Place des Vosges 3
p. 260

Avenue 3
p. 272


Avenue 4
p. 278

Size of lanterns


6 sided lanterns




Monaco
p. 284



Victoria
p. 288



Louis XIII
p. 294




Citadelle
p. 300

Bornéo

Electrical sockets / motion and photosensor

IP44
Class 1

Aluminium
IP55 socket



H 371 mm
W 136 mm

MODELS





H 371 . W 136 ❶

H 371 . W 196 ❷

H 961 . W 274 ❸

REFERENCES

Replace ••• with the colour code

MODELS	FRENCH SOCKET	SCHUKO SOCKET Type F	SWISS SOCKET Type J	SENSOR
❶	107 001 •••	107 002 •••	107 004 •••	
❷	107 006 •••	107 007 •••	107 009 •••	
❸				107 011 •••

COLOURS CODES

Replace ••• with the colour code


DARK GREY 006
SLATE GREY 059
METAL GREY 023
WHITE 001

Other colours on request

RAL 5011 STEEL BLUE 065
RAL 6009 BRITISH GREEN 019
RAL 6009 FIR GREEN 067
OLD RUSTIC 046
SANDSTONE 054

MOUNTING

Wiring entry points in grey - Fixing kit included




❶ ❷ ❸




Bollards with IP55 socket


Country-specific sockets
Separate power supply: socket/light




Exclusively on these models




Brick[2]
p. 64




Tetra
p. 72




Bermude
p. 150




Kerlouan
p. 154



Newpark
p. 162



Dallas
p. 190




Moon
p. 200



Bornéo
p. 312



Wall lights with motion and photosensor



Recommended mounting height 2,50 m

Maximum range: 5 m

Available settings via remote control

Switch on time: from 15s to 30min

Trigger threshold: 20 lux to 1000 lux

Sensivity

Forced operation



Supplied remote control

Exclusively on these models




Tetra
p. 72



Bermude
p. 150



Dallas
p. 190




Moon
p. 200



Place des Vosges 1 Évolution
p. 248

Bollards with motion and photosensor



Maximum range: 5 m

Manual settings

Switch on time:
1 s to 20 min (except brick² and tetra) - 2 s to 30 min (only brick² and tetra)

Trigger threshold:
5 lux à 1 000 lux (except brick² and tetra) - 2 lux à 200 lux (only brick² and tetra)

Adjustable sensivity


1 detector for several fixtures
(up to 100 W LED - 150W FLC - 2 300W hal)

White block detection for white products
Black block detection for other colors




Removable motion and photosensor


Exclusively on these models




Brick²
p. 64




Tetra
p. 72




Bermude
p. 150




Kerlouan
p. 154




Dallas
p. 190



Moon
p. 200



Place des Vosges 1 Évolution
p. 248




Bornéo
p. 312


Accessories

IP68 waterproof connector box

Réf. 147 101 998




Réf. 147 102 998



IP68 waterproof connector box (1-in 2-out)

Réf. 147 103 998



Lamp ø75 base Gx53

Exclusively for the Picto collection

LED 3W Réf. 147 105 998
FLC 9W Réf. 147 104 998



Lamp FLC 2Gx13

Exclusively for the Mona collection


FLC 22W Réf. 147 106 998



Frosted PMMA Bulb cover

Exclusively for the Tetra collection

Réf. 165 075 606



Anchor bolts on request

COLLECTIONS	MODELS	REFERENCES
TETRA	5	147 110 998
OL3	5, 6, 7	147 108 998
AVENUE 2	11	147 109 998
AVENUE 3	7, 8, 9	147 109 998
	10, 11	147 108 998
AVENUE 4	6	147 110 998
	8, 9	147 111 998
LOUIS XIII	6, 7	147 109 998
CITADELLE	4	147 110 998
	5, 7	147 111 998
LOUVRE	10, 11	147 109 998
PLACE DES VOSGES 2	11	147 109 998
PLACE DES VOSGES 3	7, 8, 10	147 109 998
LAMPIOK 2	4,5	147 108 998
LAMPIOK 4	3,4,5,6	147 111 998


Globes

MODELS	OPAL PMMA GLOBES	SMOKED PMMA GLOBE
Diameter 200 mm Ø Int. : 76 mm Ø Ext. : 82 mm With thread 60W max.	165 015 606	165 015 607
Diameter 300 mm Ø Int. : 87mm Ø Ext. : 100mm With bayonet system 100W max.	165 016 606	


Accessories

Corner plates


MODELS




A




B




C



D



E



F

REFERENCES

Replace ••• with the colour code

MODELS	A	B	C	D	E	F
	147 001 •••	147 002 •••	147 003 •••	147 004 •••	147 005 •••	147 006 •••

COLOURS CODES

Replace ••• with the colour code

	RAL 9005 JET BLACK 000		RAL 3005 WINE RED 066
	DARK GREY 006		SANDSTONE 054
	METAL GREY 023		LIMESTONE 053
	WHITE 001		OLD RUSTIC 046
	RAL 6009 BRITISH GREEN 019		GREEN PATINA 008
	RAL 5011 STEEL BLUE 065		GOLD PATINA 009

Other colours on request


Ingress Protection (IP) ratings

The degrees of protection (IP) are defined by the french standard NF EN 60-529

IP x_ : protection rating against solids


IP 0_ — No protection

IP 1_




Protected against solid foreign objects
over 50 mm in diameter
(e.g. involuntary contact with the hand)

IP 2_




Protected against solid foreign objects
over 12 mm in diameter
(e.g. finger)

IP 3_




Protected against solid foreign objects
over 2,5 mm in diameter
(e.g. tools and wires)

IP 4_



Protected against solid foreign objects
over 1 mm in diameter
(e.g. small tools and wires)

IP 5_



Dust-protected
(no harmful deposits)

IP 6_



Totally protected against dust

IP _x : protection rating against liquids

IP _0 — No protection

IP _1




Protected against vertically dripping
water (e.g. condensation)

IP _2




Protected against dripping water
up to 15° from vertical

IP _3




Protected against direct spray of water
up to 60° from vertical

IP _4




Protected against direct spray of water
from all directions

IP _5




Protected against jet of water from all
directions applied by spray lance

IP _6




Protected against direct sprays of water
comparable to big waves

IP _7



Protected against the effects
of immersion

IP _8



Protected against long periods
of immersion under pressure

Glossary

«Boomerang»: wall mounting plate




Can be easily and quickly fixed to any surface.
Allows pre-mounting.
Isolates the aluminium casing from the wall.
Wall light can easily be rotated and locked in place.

«Easycap»: waterproof quick-connect system



«Easycap» is a patented membrane that allows wires
to be directly connected.

Solid-core wires can be directly pushed through the membrane.
For stranded wires, the installer must crimp cable terminals first.



Information

Each reference is a complete product.

Bulbs are not included.

All standard Roger Pradier®'s electrical plugs are Schuko type (mobile models).

Models in brass or copper are provided with black aluminium supports.

The steel supports are not covered by warranty against corrosion.

The finish brass, copper, zinc, stainless steel, galvanised steel and enameled steel may be altered depending on the climate or the environment.
They are not guaranteed against oxidation.

It is recommended to regularly maintain the fixtures in accordance with installation instructions.

Our terms of sale are listed on the back of our delivery notes and bills.

To further improve its products, the company Roger Pradier® reserves the right to change without notice or compensation totally or any part of the material presented in this catalogue.

The images, dimensions and scenarios in the photographs in this catalogue cannot be regarded as contractual.

Acknowledgements

We would like to thank those who allowed us to photograph our lights by opening their doors to us:

Anne de Varennes, Abbaye de Varennes (36)
Sir and Madam Vincent Breugelmans
Centre National de Tir Sportif, Déols (36)
Cercle Nautique du Cap-Ferret (33)
Château d'Artigny, Montbazon (37)
Château de Valençay (36)
Château de Villandry (37)
Chez Boulan, Lège-Cap-Ferret (33)
École des Francs Bourgeois, Paris
Sir and Madam Lucien Giraud
Sir and Madam Pierre-François Grandjean
Jean-Marc de Pas, Le Jardin des Sculptures, Château de Bois-Guilbert (76)
La Cabane Blanche, Cap Ferret (33)
Le Churchill's Pub, Moscou - Russie
Les Jardins de Poulaines (36)
Le Rize - Centre Mémoires et Société, Villeurbanne (69)
Maison Départementale des Sports, Châteauroux (36)
Monique Barge Architecte, Châteauroux (36)
Sir Jean-François Piaulet
Regent Porto Montenegro Hotel - Monténégro
Sir and Madam Simon Verspreeuwen

As well as all those who have worked on this catalogue.

Photo credits

Arnaud Childéric | Kalice photographies - kalice.fr
Dimitri Coste | motelcoste.com
Marc Jauneaud | Image de Marc
Camille Gabarra | Le Goff & Gabarra - lgetg.fr

Graphic design and production

Roger Pradier® - Atelier Laete

Legal deposite: Novembre 2019
Printed in France par Centr'Imprim in Issoudun (36)



Colours and finishes shown in this catalogue are merely indicative due to printing processes.
Please refer to our real colourswatches for a more realistic rendering.

Colour chart

Colours

- VELVET BLACK 113
- RAL 9005 JET BLACK 000
- RAL 7021 BLACK GREY 107
- SLATE GREY 059
- DARK GREY 006
- OLD RUSTIC 046
- SANDSTONE 054
- LIMESTONE 053
- METAL GREY 023
- RAL 7044 SILK GREY 105
- RAL 5011 STEEL BLUE 065
- RAL 5009 MATT AZURE BLUE 134
- BLUE 111
- WHITE 001
- RAL 9010 PURE WHITE 101
- RAL 9016* TRAFFIC WHITE 114
- RAL 3005 WINE RED 066
- RAL 3013 TOMATO RED 110
- RAL 3020 TRAFFIC RED 056
- RAL 2004 PURE ORANGE 014
- RAL 1016 * GLOSSY SULFUR YELLOW 057
- RAL 1016 SULFUR YELLOW 068
- RAL 6009 BRITISH GREEN 019
- RAL 6009 FIR GREEN 067
- RAL 6025 FERN GREEN 109
- RAL 6018 YELLOW GREEN 015
- RAL 6021 PALE GREEN 133

Patinas

- GREEN PATINA 008
- GOLD PATINA 009

Materials

- PATINED LACQUERED COPPER 080
- TINTED LACQUERED BRASS 070
- STAINLESS STEEL 018
- RAW ZINC 092
- ** RAW ALUMINIUM - MATT VARNISH 129
- * GALVANISED STEEL 130
- * WHITE ENAMELLED STEEL 131
- * BLACK ENAMELLED STEEL 132

* Only for Cooper
** Only for Brick² model 1

OUTDOOR LIGHTING

1910

Estd.

CHATEAUROUX • FRANCE

Colour chart

ROGER PRADIER

France +33(0)2 54 53 56 54
Export +33(0)2 54 53 56 56
Fax +33(0)2 54 34 78 45
info@roger-pradier.com
roger-pradier.com

Factory - Headquarters
46 avenue d'Occitanie
36250 Saint-Maur - France

Trade office Paris
12 rue Lamartine
75009 Paris - France

Made in France